

SMITHSONIAN  
LIBRARY











3

HANDBOOK  
FOR THE  
PRESERVATION OF PICTURES;  
CONTAINING PRACTICAL INSTRUCTIONS  
FOR  
CLEANING, LINING, REPAIRING, AND RESTORING  
OIL PAINTINGS,

WITH REMARKS

ON THE DISTRIBUTION OF WORKS OF ART IN HOUSES AND GALLERIES  
THEIR CARE AND PRESERVATION.

BY HENRY MOGFORD.

EIGHTH EDITION.



*Ars probat artificem.*

LONDON:  
WINSOR AND NEWTON, 38, RATHBONE PLACE.  
1876.

Price One Shilling.







H A N D - B O O K  
FOR THE  
PRESERVATION OF PICTURES;  
CONTAINING PRACTICAL INSTRUCTIONS  
*For J. Böttcher*  
CLEANING, LINING, REPAIRING, AND RESTORING  
OIL PAINTINGS,

WITH REMARKS  
ON THE DISTRIBUTION OF WORKS OF ART IN HOUSES AND GALLERIES,  
THEIR CARE AND PRESERVATION.

BY HENRY MOGFORD.

EIGHTH EDITION.



*Ars probat artificem.*

L O N D O N :  
WINSOR AND NEWTON, 38, RATHBONE PLACE,  
Manufacturing Artists' Colourmen by Special Appointment to Her Majesty,  
and Their Royal Highnesses the Prince and Princess of Wales.



LONDON :

Printed by A. Schulze, 13, Poland Street.

ND  
1640  
M69  
1876  
NCFA

6346-21

## H A N D - B O O K

FOR THE

### PRESERVATION OF PICTURES.

---

#### P A R T I.

---

#### THE DISTRIBUTION AND CARE OF WORKS OF ART.

WITHIN the last half century the Fine Arts have become universally recognised among us, as a source of intellectual gratification and instruction. In all the habitations of educated persons, some of its productions are certain to be found, and are usually prized as the type of taste in the possessor. With somewhat of this feeling, modestly repressed, and the desire of embellishing the walls of apartments beyond their former blankness of mere pannelling, or poorly-designed paper-hangings, the acquisition of oil paintings, water-colour drawings and engravings, has largely ensued for the purpose. A few remarks upon their adaptation for enjoyment, or decoration, may not be unworthy the attention

of many persons; and perhaps still more so, some instruction relative to the best means of preserving these prized objects from deterioration or decay.

Pictures, drawings, and prints, unquestionably enjoy their brightest lustre and highest perfection at the first moment of production. Every artist, either of the greatest talent or of lesser ability, endeavours to complete his work with all the resources of his skill, seeking for present approbation, and certainly not trusting to organic changes, in the lapse of years, to establish his reputation. The very nature of the materials which form the elements of works of art, are, more or less, subject to a gradual decay, particularly in our northern clime. Nearly all the pigments known and employed by artists are liable to lose their primitive hues, and become either less lustrous, dark, or changed. The wood and canvas upon which pictures are painted, suffer decay; desiccation and insect ravages lead to the remote destruction of panel, the fibres of the threads of canvas lose all tenacity; and paper from a snowy whiteness becomes an unpleasant drab colour, besides being frequently reduced to a perfect rottenness by the insidious agency of damp.

A recent official inquiry has taken place on the subject of the pictures in the National Gallery—their altered condition during a few past years, and upon their removal to a less-destroying locality. The result of this inquiry makes it evident that in London and large towns, some precautions are of absolute necessity; nor are coun-

try abodes without the continuous agency of mischief, although of another and slower kind. The Parliamentary Committee have, however, not arrived at any further conclusion, than that some means are indispensable for further protection of the great works of art belonging to the nation.

Now all persons have the same desire to preserve their own works of art, even those who are indifferent to the charms of art, for the sake of its pecuniary worth as property ; and almost every person has some ideas about the means of preserving their works, generally derivable from common sense or practical notions, referable to the usual care taken of other household objects, but not always applicable to pictures.

In offering the succeeding observations on this subject, the writer had the wish to bring together the result of some experience on his part, aided by judicious remarks made by others, with which he has been favoured in furtherance of this Essay ; in the confident hope it may be acceptable and useful to many readers, by at least stimulating attention to the best means of prolonging the preservation of pictorial art, for our own enjoyment and instruction, as well as for those of our posterity.

The changes of temperature in our climate ; smoke from coal fires, lamps, and candles ; rooms heated by crowds of company ; dust actively stirred thereby ; vapours from the dinner and tea-table ; the presence of

damp either internal or external ; mephitic odours ; and many other things are all active agencies upon the durability of oil pictures, or framed prints and drawings. That some of these causes tend to the certain diminution of the primitive lustre of all classes of works of art created by colour, is fully evidenced by the present condition of the productions of the old masters. In their oil pictures, the most fugitive colours, the greens for example, have lost the freshness of nature ; the verdant hues have become sickly grey or brownish-dark. Scarcely a single landscape painted by the great masters retains the original tints in which the vegetation was painted. The two large landscapes by Gaspar Poussin, in the National Gallery, prove to what an extent changes have taken place. It were absurd to imagine that such a mass of darkness, scarcely making any details discoverable, was ever originally so produced by this great painter, living in the bright sunny land of Italy. The skies in ancient landscapes are lowered in tone, and the foregrounds, where it is earth or rock, are in the same condition. The colours of the figures have become blackened in the shades, and water, if tranquil water, has changed into pools of ink where it has received shadows ; or if it be a falling torrent, excepting where the foam retains its whitish hue, it resembles rather a cascade of brown stout. In such a state do we now find a great number of the finest pictures of Ruysdael ; the forms are there, the composition is

there, but the truth and freshness of nature have departed. In the historical pictures of the ancient Italian School, it would be a gross absurdity to imagine that these great artists ever painted the shades of the flesh of the intense brown and black in which we now find them. Some pictures even have lost all colour; those by Van Goyen, for instance, of which nothing remains on the canvas but a kind of sepia sketch of the subject, and a London fog for the sky. All water-colour pictures being on paper, are subject to the deterioration of tints, by the change of hue which paper acquires by age. Old books and prints testify to this loss of freshness, as well as to the change in the colour of the printing-ink from having a rich cold bluish bloom to a dry fading brown.

Although it is true that many ancient pictures have descended to us with wonderful comparative lustre, particularly those of the very earliest that were painted in oil, it may be accounted for, either by the greater care which has been taken of them by their different possessors, or by the superior intelligence of the artists in the use of their colours and vehicles. Sir Joshua Reynolds' fatal experimental practice has already destroyed a great number of his finest works. The picture, by Hilton, of "Sir Calepine rescuing Serena," exhibited first in 1831, and probably painted about that time, is now in so ruinous a state that it has been withdrawn from the walls of the National Gallery. It is undoubted

that in many instances the duration of oil paintings is dependent as much on the mode of execution, as on the care of preservation, or the advantages of climate.

There can be no question, however, that proper care, when taken by the possessors of pictures, drawings, and prints, will for a much longer period perpetuate their primary excellence, and continue the enjoyment of their fascinating qualities. What constitutes this proper care must have been heretofore greatly misunderstood, from the wreck and ruin in which at the present time many ancient pictures exist, particularly those of small value, as well as some by our modern painters.

The greater number of pictures in England are placed in the apartments of our houses which are used for social intercourse; and with the universal feeling for decoration of our houses, these apartments are become a great object of solicitude. The effect of a room having the four sides of it without anything ornamental, can hardly be imagined; perhaps such a room does not exist in any house above the merest hovel. The blankness and apparent confinement upon the nerves would be harassing, the mind seeks expanse; and in our small-sized apartments, it was first obtained by our ancestors with the aid of looking-glasses and mirrors. But since art has become a necessity, whether it be imaginative or decorative art, there appears to have been very little attempt to apply it consonant with natural ideas, or according to principles of taste. Expanse is

gained by landscape pictures especially. Interiors have a similar influence. On the contrary, place a picture containing life-sized figures, or animals of similar dimensions in a room, the idea of contraction ensues ; besides the incongruity in an apartment, making it, in truth, with other pictures of small proportioned objects, an admixture of giants and pygmies. Symmetry and expanse are among the greatest delights of the human eye.

While on the subject of the adaptability of pictures to increase the delights of our dwelling-houses, a few words may be said about some other adjuncts to our comfort, which have reference to the general harmony. Where pictures are hung, the carpet should be of a small pattern, and of a dark colour ; the contrast will give an apparent augmented light to pictures. But if the room is covered with carpets of gay colours —scarlet, orange, yellow, light blue, &c., in huge scrolls and forms, with roses large as red cabbages, and tulips huge as quart pots, the vision becomes distracted, and the delightful gradations of tint the talented artist has so intensely studied, are totally annihilated by this vulgar tawdriness and want of repose. The carpet on the floor of the new House of Lords is a ready reference for one suitable to give value to pictures. The predominant ground colour of the paper on the walls is a difficult problem which has puzzled many learned heads ; it should however be

observed that a light ground gives space, while the dark crimson so commonly employed contracts the apartment. Above all, the paper on which pictures are hung, should neither contain flowers, nor birds, nor any natural objects; solely the combination of geometrical forms and lines. Fancy a flower-piece by Van Huysum, or one of Bartholomew's elegant groups placed in *juxta-position* with the paper-stainer's convolvulus, and perhaps the carpet-weaver's roses and tulips under your feet. Where there is pictorial art, there can be no imitations of it by mechanical means.

If it were possible to have pictures of regular sizes, and to place them symmetrically on the walls, the arrangement would be agreeably harmonious to the eye. This would be easily effected if the pictures were painted expressly for situation—a practice greatly in vogue on the continent by those who patronize the living artists. This effect is greatly augmented by the picture-frames having mouldings and ornaments assimilating with the architectural features of the apartment, such as the doors, cornices, and chimney-pieces. The *ensemble* of a room thus studied and completed for the unity of all objects bearing reference to a single style, displays a triumph of taste, placing the owner on the same intellectual scale as the artist. The poverty of invention, and *rococo* design of most of the picture-frames now made, form a humiliating contrast with the chaste statuettes, bronzes, elegant

porcelain vases, and other ornamental adjuncts so profusely gathered in the drawing-rooms of genteel or exalted society. Excessively deep mouldings to oil pictures of small merit, are more indicative of purse-proud parvenuship than of a refined intelligence; it is exhibiting the weight of money instead of mental expansion. Some frames are made with such a depth of moulding, that the pictures thus enclosed appear to be fixed in the bottom of a packing case, forming a kind of grotto or cavity to gather dust, and retain all the injurious fumes which are thus stored up to operate on the surface of the picture. The general circulation of the air passing over these cavernous deposits, leaves the foul contents undisturbed. Besides, in the small-sized rooms we inhabit, every projection into the cubical space has the effect of making the room look still smaller.

There is abundant occasion to display a cultivated knowledge in the choice of picture-frames, the majority of patterns hitherto in use having but little to recommend them. Latterly an improvement has been manifested by the introduction of open-worked Florentine frames in papier-maché. The designs of these frames are very appropriate, as the idea of great weight is obviated by their lightness of appearance. The suspension, real or apparent, of heavy weights, is always uncomfortable to the eye; and there is besides a danger impending, as the cords

by which pictures in weighty frames are suspended, have sometimes broken, to the injury of the picture and the destruction of valuable articles of *vertu* placed below it. A remarkably fine Etruscan vase of great rarity was thus shivered into fragments, in the mansion of a distinguished connoisseur. The usual method of hanging pictures is by coloured strings suspended from a brass rod, which is placed round the room immediately below the cornice. The strings usually employed are hempen cords, covered with coloured worsted, being by no means so strong as their size would imply. The influence of the air leads speedily to the decomposition of their tenacity, and numerous accidents have occurred by their breaking. Where it has been the practice to place the lower edge of a picture-frame upon a rest, so that it may hang slantingly over, as is sometimes done with the notion that a picture is better seen by an oblique position, the cord is more exposed to decay. Many heavy-looking glasses and mirrors, over chimney-pieces, have formerly been ignorantly so suspended; and after the lapse of some few years their owners have paid the full penalty, by the disintegration of the strings, and the glasses being shivered into fragments in falling down.

In picture galleries, the upper ranges of pictures are sometimes so slanted over, with the lower edges of the frames resting on a continuous ledge. If the upper edges of the frames are held to the walls by metal chains, no danger

can ensue. The advantages of viewing pictures placed thus obliquely, are only gained in galleries or exhibition rooms where the light is from skylights, or from lantern-lights in the ceiling. These advantages are wholly lost in apartments receiving light from windows on the side. Besides being contrary to architectural propriety, when pictures are so placed in habitable rooms, the eye is disturbed instead of receiving the quiet repose incident on the harmony of objects. It is like living under tottering crags, or overhanging cliffs—an uncomfortable insecurity oppresses every one, instead of the cheerful tranquillity being imparted which is the sweetest delight of home.

The most desirable way of placing pictures would be to fasten them to the walls, without any visible appearance of the machinery of their suspension. Looking-glasses are now usually fixed in this manner, and if pictures were so attached they would appear as if they formed an integral part of the house, becoming an ornamental pannelling of the architect, filled in by the painter's skill. In some houses where very fine pictures belong to gentlemen desirous of their beauties being fully appreciated, which, from the depth of rooms or curtain draperies, the side light from the windows scarcely permits—the frames are fastened to folding cranes with hinges formed of flat iron bars of suitable width and nearly as thin as iron hoop. This contrivance allows the pictures to be swung forward into the room in a position with the win-

dow to receive the fullest light equally distributed. Sometimes the pictures are fastened to the walls by hinges on the sides of the frames, nearest the windows—being capable of being brought to the light by merely bringing forward the farthest end of the frames—moving exactly as a door upon its hinges. The view of pictures thus arranged becomes very satisfactory. In the house of the late Samuel Rogers, some of the exquisite works of art this distinguished gentleman possessed were so arranged. There is another objection to the use of strings for suspending pictures from a brass rod running round the upper part of the room. Sometimes, from the great number of pictures, they require to be placed in two or three tiers;—there are consequently a number of opposing diagonal lines formed by these strings crossing the vacant surface above the tiers of pictures with great irregularity, occasioned by their different widths. All diagonal lines distress the eye when intermingled with vertical lines. This is especially evident in the grand drawing-room of the late Sir Robert Peel's mansion at Whitehall which contains the deceased Baronet's extensive cabinet of Dutch pictures, where the multitude of strings that are seen above them, creates a deformity and begets an eye-sore incompatible with the natural laws of decoration and harmony. Most pictures placed in this mode are hung on a couple of strings; sometimes one of them, from some inherent defect, stretches unequally with the other and then this picture loses its horizontal

and perpendicular position. Nothing appears more slovenly and neglectful than a number of pictures apparently rolling about thus, left and right, which would be obviated by a permanent attachment to the walls. Besides all weights suspended on strings cause the extension of them to the utmost stretch; and although when pictures are first placed their position may be judiciously determined, they are sure to descend materially from this by the elongation of hempen cords. The use of the newly-invented patent wire cordage appears to offer a rational security against many of the preceding inconveniences and accidents. The danger of strings being obvious, many persons for the sake of security have employed small brass chains, from the rods under the cornices, to hang pictures with, and where other pictures are placed beneath, the lower ones are attached by brass chains to hooks fastened on the under side of the frames of the upper row of pictures.

In the distribution of the productions of pictorial art throughout a mansion or a house, there are a few points deserving of consideration. The separation of oil and water-colour pictures, and engravings from each other; the choice of subject adapted to the designation of the apartment; the difference of light required for dark toned pictures, dimmed by age and discoloured by dirty varnish, from modern ones; the selection of the central places for works of the highest comparative quality; all these considerations belong to the domain of the man of

taste. The huddling together of all the classes of fine art and completely covering up the walls, without order, or disposition of lines, prove the possessor deficient in any innate perception of the beautiful, and only emulative of quantity, as in a broker's shop. The heterogeneous admixture of paintings in oil, of water-colour drawings, and of engravings in the same apartment exhibits a confusion of objects injurious to each other. The oil pictures look dark and heavy, with somewhat of a greasy effect, by the side of water-colour drawings, while they in their turn become feeble and washy against the deep solidity of oil. Engravings fare still worse and assume a total platitude and coldness from the absence of the glowing and varied tints which colour gives. Each of these three great divisions of pictorial art can only be duly estimated by being kept separate. Pictures embrace all kinds of subjects ; in figures, the sacred and historical ; landscape ; animals ; still-life ; interiors ; marines ; peasant and domestic life ; in short every variation of subject from the sublime to the most prosaic and vulgar. Large hunting subjects, fruit pieces and groups of dead game are appropriately decorative for entrance halls and corridors. Whole-length portraits of ancestors are also not misplaced here, and perhaps any large representation of a battle or conflict. In dining-rooms, subjects of a cheerful, festive or Bacchanalian character become animating accessories ; the portraits of eminent or exalted persons, famous for their achievements in arms or their

distinction in the arts, sciences, or literature, looking, as it were, out of their frames upon the company, may impart something agreeably reminiscent of their great acquirements and good actions. Perhaps it would not be a great stretch of imagination to fancy they are our companions in participating of the hospitality of the table. Affectionate feelings will always determine where the portraits of relatives should be placed, most consonant with our reverence and esteem. Where the mind is free from the trammels of ordinary life and its coarse realities ; where reflection is undisturbed, and where the most pure and exalted sentiments of human nature can be indulged, seem to point out the study and the library as the fitting shrine to contain these portraits.

In the drawing-room all works of art should bear the impress of its highest conceptions in elegance, purity and cheerfulness. Pictures displaying human corpses, or bodily afflictions, martyrdoms, dying and suffering saints, anything lacerating the feelings and occasioning painful emotions are ill-judged subjects here. They are only adapted for public galleries, as elucidating the triumph of the artist either in mental expression, composition, or any of the theoretical acquirements of high art. All impure nudities are equally improper for the drawing-room ; and in the same category are some of the finest Dutch pictures extant, from their repulsive vulgarity or indecency. No work of art can be called an ornament to the drawing-room, which a parent cannot contemplate

in company with his daughter. Classical and rural landscape, marine scenes, highly-finished fruit and flower groups, interiors of ecclesiastical edifices, town views, conversations, historical incidents subject to the preceding reservations are all applicable to the drawing-room. If the pictures contain life-size figures, they ought to occupy the upper range. A landscape with a bird's-eye view may also be placed high; but if the perspective, meaning the horizontal line, is taken low, the best and suitable place is opposite the eye, or (as the artistic phrase goes) upon the line. This is also the suitable range for all small figure compositions in interiors; if hung above the eye, the perspective lines in these pictures become deranged. Of equal consequence in hanging pictures in rooms is the care that should be taken to place them so that the light they receive from the windows may fall in accordance with the arrangement of light and shade of the subject painted. Nothing can be more awkward than to view the human countenance having the side of the face that is in shade, with the shade of the eyelids, and the shade and shadow down the side of the nose, all next to the daylight the picture receives; and the bright tints of the palette pourtraying light, turned to the dark part of the room from whence no natural light can possibly come. Similar remarks apply to pictures of every kind, they are all painted with reference to receiving light from the one side or the other. A

picture with figures in it, if so placed, has the absurdity of finding the shadows cast, contrary to truth, out of the window, while every natural object in the room has its shadow cast inwards from the window. Many excellent works have unquestionably failed of their attraction from this incongruity, and lost the estimation they deserved, without the cause being reflected on, or even suspected.

Water-colour drawings may be reserved for the boudoir or an inner drawing-room, and also framed prints for sleeping apartments. However, as a great number of persons have not the variety of rooms to admit of such classification, it is always possible to arrange even a few without being injuriously intermingled. The excessive variation of the sizes, shapes and forms of pictures and their frames generally prevent, if they are numerous, any other arrangement than the filling up of intervals by pieces that fit into the intermediate spaces. But it is always possible to adopt a base line for the lower edge of all the frames of the under row of pictures; and if they are few in an apartment, a similar unity of the height of the frames at top is something gained. The filling up of intervals by pieces that fit into the spaces without regard to perspective, proportions, subject or scale of colour may be seen fully practised in the public annual exhibitions of modern pictures, where this irregularity flourishes in the highest degree, and all artists

are cognizant of the injury inflicted on their works by unsuitable companionship.

Having concluded the observations on the placing of pictures for the due effect of propriety of decoration, and the estimation of their various excellencies, the next solicitude is the care and preservation of them from the ordinary agencies with which we are daily surrounded, that these excellencies may be perpetuated to the utmost duration of time possible. The greater number of pictures altogether, are placed in the apartments of our dwellings which are allotted for social and family intercourse, and they are in some respects more exposed to deterioration than pictures kept in galleries. The number of picture galleries, truly, is very limited indeed ; and the few remarks required for them may be confined to, first, the keeping of a moderately warm temperature by means of fires or flues heated by hot water during the winter and taking the precaution of not opening any windows either lateral or otherwise during the many murky, damp, fog-penetrating days of this part of the year. The effects of this damp atmosphere is eminently injurious to fugitive colours ; an example is unfortunately illustrative of it in one of the finest collections of Dutch pictures existing in England. The gallery was built expressly for their reception ; and on one of those comfortless wintry days, the servant in charge opened a window and left it remaining so for

some hours. Opposite the window was hung an almost matchless little picture by W. Mieris, retaining the original freshness of its green tints, with which a spreading vine was painted in the upper part. The effect of these few hours of damp air has obliterated its pristine beauty; and it now presents a cold, sickly appearance, out of harmony with the more solid and durable pigments employed in the lower part of the picture.

There is another practice in frequent use with pictures, both in apartments and galleries, which is to cover them during the absence of the family with linen over the entire surface. Those who have town and country residences frequently leave them thus covered during six months of the year. It would be well if they were so protected when servants are sweeping the carpets or cleaning the floors; but this is commonly not thought of even, although the chairs, tables, and nick-nacks, are all covered during this frequently-recurring process. Excluding the light is the certain course to dim all bright colours, and render them more or less obscure. Light is the very life of colour: without light it perishes. If we notice the discoloration of paint in our houses, where the window-shutters fold over, or where pictures and looking-glasses have been for any time suspended against walls painted with oil-colour, there is no further evidence wanted to convince us, that light and air are essential to perpetuating the brilliancy of colours. Paint generally keeps its colour better on the outside

of houses than in the inside, where the atmosphere is pure and dry. In London especially, Birmingham, and some other towns, there is an exception arising from the deposit of smoke from coal fires. These observations on light are equally applicable to inhabited rooms as well as to galleries, independently of the difficulty of justly appreciating any production of pictorial art placed in obscure corners, or between windows.

Having ended the observations on the arranging of pictures for due effect, it may be stated as a general and undeviating rule, never to place pictures where there is the smallest presence of damp—it is the great and principal agent of ruin. Before proceeding with the care of pictures from mischief, a few remarks may be permitted on the subject of the gilt frames in which they are enclosed. How frequently in apartments, where everything is of the most scrupulous cleanliness, may dirty picture frames be seen. In this climate, gilding soon loses its lustre, particularly in London, where the great amount of carburetted hydrogen in the air tarnishes everything metallic; but there is no occasion to permit the dust of weeks and months to lie undisturbed upon picture frames. Dust is thrown up by sweeping carpets, tread of company, cleaning the furniture, and the removal of coal-ashes from the fire-grate. Yet in most houses, servants are forbidden to touch the picture frames, although as a general rule of cleanliness, they

should be dusted regularly, which may safely be done with a hand-brush made of the hackle feathers of the male domestic fowl; the delicate fibres of which can do no injury. The common house-fly is the destroyer of gilding, the lustre particularly inviting its presence. The ordinary means of reducing the swarms may be resorted to in summer time; or the frames may perhaps be better protected from their deposits by a slight and careful covering of open leno, or lace-muslin. On the continent, the little projecting parts on the outer edge of picture frames are protected from injuries occasioned by removal, or any collision which would damage these outer parts, by a very thin border of deal (as if in a case,) painted black and varnished. Besides protecting the frames from accident, the juxtaposition of a thin black edge gives additional brilliancy to the gilding, and is not without a good effect upon many pictures. The expense of regilding occasionally a number of frames is certainly a matter for consideration; but if they are allowed to remain untouched for years, they no longer adorn an apartment; and when any new acquisition is placed among them in its fresh and glittering frame, the harmony is totally destroyed, and an unfavourable comparison provoked.

That pictures should have proper care taken of them is undeniable, and their possessors are, without exception, fully desirous of so doing, although very little rule appears to direct such wishes, and in default of this pic-

tures remain for long periods of years accumulating on the surface successive adhesions of obscuring matter. The longer they remain thus, the greater becomes the difficulty of any operation on the surface to remove the veil which deteriorates and obscures to the eye the true colours. With a few and simple precautions, their enjoyment in all their beauties may be greatly prolonged, for centuries even. The climate of England, with its variations and our domestic habits, exact a certain amount of regulated attention to ensure success. The surface should be lightly cleaned once a year to remove the stains made by house-flies. In doing this, the deposits of smoke or other vapours will be cleaned off at the same time. The picture to be thus purified should be laid flat, and carefully wiped with a very fine sponge free from grit, wetted with clean cold water. This should be done gently until all fly-stains are taken off. When these stains disappear, all other of the usual adhesions on the surface will also disappear. A piece of soft leather wetted, and the water wrung out, will serve equally well as a sponge. In no case must water be allowed to float over the surface, nor is the addition of soap, soda, or indeed anything of this nature added to the water, otherwise than dangerous in inexperienced hands. If this process is undertaken on a dry and warm day, the face of the picture will almost immediately after the operation be in a fit condition to have a gentle friction bestowed on it by a

dry silk handkerchief. A silk handkerchief that has frequently been washed is better for this purpose than a new one, as it becomes softer in the fibre. This is the practice pursued in the National Gallery every year during the vacation, under the advice and direction of the most competent persons.

Damp has already been remarked as one of the most powerful and insidious enemies of every class of pictorial representation. If a picture is on panel, the wood gradually rots and decays; the same influence is exercised upon the unprotected canvas forming the back of a picture painted on this substance: thence arises the necessity for lining, and after a period re-lining is a somewhat delicate undertaking with a rotten cloth. Mr. Mulready, R.A., in his evidence before a Select Committee on the National Gallery, says, on this subject: "In my own case I have seldom painted a picture on canvas without providing against the accidents to which the exposed back of a picture is subject. I place two canvases together *back to back*, and I paint upon one side; the canvases are not fastened together throughout, they are placed together thus (describing the position); this has a painted side, and I believe in that way they afford considerable security against both damp and dust: it is a simple and obvious thing, and the easiest thing on earth to do. They are placed so together that the air would get through the very small apertures; they are

placed together and nailed upon a flat edge, and the air will find its way, probably as it does into your watch." The effects of damp penetrating between the interstices of the frame and backboard behind on water-colour drawings or engravings displays itself by the gradual advance of a brown stain, so frequently exemplified in old books and prints as to be familiar to every one. The dust which gathers behind all framed pictures should be occasionally removed, as it has a mischievous effect, for the greater the quantity of loose dust, the longer it would hold the damp; it may not attract it, but it will hold it when it gets it. Perhaps it is unnecessary to caution against hanging pictures on a newly erected, or recently plastered walls; common experience has taught us the danger to be avoided. But it has hardly yet entered into consideration that conservatories opening into rooms are so many *dépôts* of damp. It is now so growing a practice, and certainly a source of such very inviting pleasure, that the insidious enemy is not perceived. Yet the watering of the plants and the constant exhalations from the damp earth in the garden-pots and from the plants themselves, are diffused over the adjoining room to the great injury of all textile fabrics, and the certain mischievous action on the materials forming the ground of pictures whether panel, canvas, or paper. For small, highly-finished, and valuable pictures an external covering of plate glass is an expense not to be grudged,

which should be as firmly glazed in the frame as the glass in our window sashes, to exclude the penetrating of the atmosphere, or of vapours engendered in the apartment by meals, lights or any other causes. There is a slight objection to the glazing of oil pictures, that it becomes a little difficult to view them without the glass reflecting other objects ; but it is more than balanced by the advantages of keeping the surfaces from any deposits of flies, or other injurious matter ; and preserves the varnish in perfect lustre without ever chilling. Some of the pictures in the National Gallery which have had a covering of plate glass for some years, can be referred to in proof of their continuing in excellent condition. The surface of the picture should not be allowed to touch the glass which covers it ; there is sometimes a decomposition of the salts used in the manufacture of glass which is ruinous to colours, where it comes in contact, and should be avoided by fixing the picture at least one-eighth of an inch distant. The manner in which water-colour drawings and fine prints are framed by squeezing their surfaces on the glass to make them look smooth is pregnant with danger and destruction from the above cause. Our continental connoisseurs are fully cognizant of this mischief, and frame all their water-colour drawings and prints by straining them on the back-board and placing them fully a quarter of an inch distant from the glass that covers them. The contact

of glass, often of bad quality, is very injurious to paper, acting with a kind of capillary attraction to any wet or damp that may enter at the edges, as well as by the before-mentioned decomposition. But protecting the front of pictures becomes of very little service, if we leave the back to the ravages of damaging or destroying agencies. Their effectual preservation from damp (the great enemy), the gathering of dust, admission of foul vapours, the ravages of insects and other evil influences, would be guaranteed by covering the entire back, including the frames with tin-foil carefully glued down on its edges. This could only be applied to small oil pictures, water-colour drawings, and engravings. Those which are of a larger size may be similarly covered behind with oil-skin strained entirely over and fastened round at the edges in a similar manner. The largest pictures would receive entire protection by a similar application of our common oil-cloth, such as we find in constant use in entrance halls and corridors. Pictures of the latter class in churches and public buildings require especially this kind of protection, as they are more exposed, by the absence of any heating apparatus, to the cold damp atmosphere of our long wintry months.

A few words may be permitted, in conclusion, on the choice of pictures as a prudent outlay. We are essentially a calculating people on the money value of our purchases by way of investment. The few remarks in

our former pages have been entirely relative to the decorative or instructive arrangement of pictures. The question of durability comes now to be considered, and a moment's attention to the subject is convincing that new pictures will endure much longer than those of three or four centuries old. The pecuniary value of some of the works of ancient masters is almost fabulous, but this applies to works so rarely attainable, that during a human life the opportunity may never occur to obtain a genuine work of Raffaelle, Leonardo da Vinci, or Correggio, even by the sacrifice of a sum amounting in itself to a small fortune. The whole mass of inferior old pictures are hastening to decay, already faded in colour, darkened and perhaps covered with ugly patches by unskilful restorers. Their value goes on decreasing rapidly, and will so continue, until they become valueless. Independently of this, they afford no true enjoyment by their presence in our homes ; they only hang there to typify the total absence of taste and learning in art of the possessor. All these decayed and decaying fragments of mediocre execution can only harmonise with dirty walls and hangings, broken china, and threadbare carpets. They besides too frequently indicate the blinded belief of an imaginary property ; proofs alike of avarice, ignorance and delusion. Similar amounts expended in modern pictures warrant a continuation of value for generations yet unborn, with a probable and most certain increase,

if well chosen; thus adding interest to the principal sum invested. Oil pictures, soundly painted, have been estimated, if preserved with ordinary precautions to possess the elements of endurance for five hundred years. Some have already reached four hundred years. Besides, the purchaser of the works of living artists will always rank as a real lover of fine art, and add his mite by his individual expenditure to the support and advancement of the national school of painting.

Winding & cleaning pictures. Hand <sup>1</sup> 23.  
Taking off oil-paintings from wood or  
canvas and transferring the same to  
new canvas. Hand m. II. 417.  
Preserving pictures Hand <sup>1</sup> ~~x~~ 224

## PART II.

---

### REPAIRING, RESTORING, AND LINING OF PICTURES.

UPWARDS of four centuries have elapsed since the discovery of painting in an oil medium, or rather of its first application to pictorial representations. Painting in oil was certainly known earlier, as modern researches have established; but the first use of it in any authenticated picture bears the date of 1420.

In the earlier ages of this beautiful art, no experience could foresee the various causes which would lead to the loss and decay of works executed in oil-colours; and as a natural course, but little study was given to the proper means of ensuring their lengthened preservation. Although the cleaning of pictures has been considered to have originated in the present epoch, and not to have received the sanction of any distinguished artists; yet the fact is not so, for it was recommended by Buonarotti and the Carracci, as regards the pictures in the church of the Madonna di Mezzaratta, which were passing

into decay. This is related by Lanzi. The Raffaelles in the Palace of the Farnesina, belonging to Agostino Chigi, and also those in the Vatican, were restored by Carlo Maratti, as described by Bellori. The Cavalier Pecci, in his "Guide," mentions the skill of one Nicolo Franchini "in restoring injured specimens to their original beauty without applying to them a fresh pencil," &c. The Government of Venice, in 1778, very judiciously appointed a committee to watch over the preservation of the paintings which were inclined to decay, where a studio for the purpose was opened.

At the present day, however, the consequences of the absence of previous experience are becoming apparent, and many of the finest examples of the old masters have either entirely perished, or are hastening to decay. This has been particularly the case with the frescoes painted by the early Italian masters on the walls of churches and palaces. To perpetuate as far as possible the duration of the fine works which still exist, has become an object of solicitude, for which many means have been devised and applied, and not unfrequently by totally incompetent persons. A good deal of quackery has also crept in, and a constant advertising in the daily journals, announces a variety of infallible nostrums. It may indeed be relied on as a type of incompetency, that a secret should be made of a process, in itself of great simplicity, but only requiring an adequate amount of judgment and practice. In the

desire that the best means should be fully understood by the possessors of pictures, and that the object may be better attained, the author makes public, he believes for the first time in any separate form, the modes of operation pursued by the most skilful artists now practising this useful art for the preservation and restoration of paintings in oil.

The due preservation of pictures depends chiefly on dry atmosphere, exposure to light, and the absence of noxious exhalations. Among the many causes of injury, exclusive of accidents from violence, paintings are liable to obscuration from accumulated dirt and dust, the discolouration of vehicles and varnishes, the changes of colours by chemical action, the cracking of the body and surface of the work, the decay of grounds, damp, mildew, foul air, smoke of lamps, injudicious attempts at cleaning, and a variety of other causes.

Pictures by the old masters are painted on canvas or wood, some few on sheets of copper, and even on slabs of marble. The earliest oil pictures were painted on panel. These panels, composed of several boards, were so excellently put together, that in some of the early Flemish pictures it is at the present time, after a lapse of four centuries, impossible to discover the seams on the surface. The grounds or preparations to receive colour applied to these substances have been various. The pictures of the Italian school of the time of Raffaelle had the grounds composed of pipe-clay, highly

burned and finely pounded, mixed with a proportion of chalk, and formed into a substance with boiled parchment, or the skins of fish. Velasquez and Murillo painted their pictures upon the red earthy preparations with which the Spanish canvas has almost uniformly been charged. The ground of the pictures painted by Claude has frequently been prepared with an impression of chalk or pipe-clay, as was used by the old masters; the consequence is that the skies, distances and delicate passages remain as clear as the day they were painted. The ground of many of the pictures painted by Nicolo Poussin is, on the contrary, a dark brown, or red, prepared of a red earth, which in some instances has made the shadows opaque, and has even caused them to perish, an evil which is to be met with in several of the most beautiful and classical compositions of that great master. William Vandervelde also painted on these kinds of preparations. Some remarks on the dangers to be avoided in treating pictures of this description will be found in their proper places. It is unnecessary to discuss further the merits of these different preparations, the very excellent manner in which they are now got up for the artist renders this unnecessary; our object being only to point out the course to be pursued in repairing the dilapidated state into which so many pictures of value have fallen.

Having, however, availed myself of opportunities of becoming acquainted with the operative details of the

modern system of manufacturing artists' canvas, I have been enabled to observe that canvas grounds are produced of such tenacity, durability and general excellence, as were never before attainable for the purposes of art, and which must materially aid the preservation of modern works executed upon them : they have the most important merit of not being liable to crack, or to peal or tear away from the cloth they are worked on, and, beyond all, damp has but little or no influence upon them.

#### TRANSFERRING PICTURES FROM PANEL TO CANVAS.

If the picture is painted on wood which has much perished from the ravages of worms, it may be strengthened by being cross-barred on the back with either oak or mahogany ; and the same treatment may be pursued with a small picture or panel that was merely warped ; but if, from being composed of different panels, some have started from the necessary evenness of surface, it is generally desirable to transfer the painting to canvas ; this is however a very troublesome and expensive proceeding, and only worth undertaking with valuable works.

The transfer is effected by pasting smooth sheets of paper all over the face of the picture, and afterwards upon this a sheet of fine muslin, it is then to be placed face downwards upon a very smooth table, and

there fixed evenly: the wood must then be planed off with the greatest care until it has become as thin as the plane can safely go, and the remainder must be scraped off with a sharp instrument like a razor. After that, the ground upon which the paint lies must be taken away by solvents, by gently scraping, or such other means as the skill of the operator may suggest, until nothing remains but the thin skin of colour composing the picture now left pasted on the paper, and held together by the muslin. A prepared canvas must then be applied to the paint in the same way as that employed in lining pictures, hereafter described; and when it is firmly glued on, the muslin and paper on the surface must be tenderly removed by damping, and the picture will appear as if it had been originally painted on canvas. It is a very delicate and tedious operation, requiring extreme caution in removing the remaining portion of wood left after planing, as also the ground, both lying so near the paint.

In transferring from panel to canvas, blisters are the most frequent difficulty. If they are open, japanner's size should be passed under and then flattened by a moderately warm iron; should there be no opening, the picture ought to be relined, although some persons in such cases cut the blisters on the surface, and then insert some adhesive medium.

This method of transferring pictures originally painted on wood, to canvas, was first practised by Monsieur

Hacquin, in Paris. On the removal by the French, during the invasion of Italy, of many of the greatest works of Italian art, it was found, on inspection, that the painting in many of them was beginning to separate from the *impression*, or ground of the picture, and that it became absolutely necessary to have the same secured to prevent the total ruin of these magnificent works. Among others which Monsieur Hacquin successfully transferred from wood to canvas, were the St. Peter Martyr, by Titian ; Lo Spasimo, the Madonna de Pesche, the St. Cecilia, the Madonna di Foligno, by Raffaelle, and several other capital works. The Raising of Lazarus, by Sebastian del Piombo, in the National Gallery, was originally on wood, and has been transferred to canvas. This important specimen at once elucidates all the advantages and disadvantages of the procedure. The picture is so far preserved, that the paint lies smoothly enough on a canvas base, and will probably (that is the canvas) last for a great number of years. The evil has become apparent, for the picture is irremediably dyed throughout with a dark tone, arising from the penetration into the colours of the great mass of paste and glue which was consumed in attaching it to the new canvas. Another evil ensued: this thick mass of farinaceous and glutinous matter called into existence myriads of worms, which for a time threatened to devour the entire picture, until they were poisoned by the application of

the corrosive sublimate of mercury. A few pictures have been similarly transferred in London, but only of small dimensions. From its tediousness the expense is great, and only worth expending on pictures of consequence, always bearing in view the ultimate darkening of the entire work, which is quite as visible in those which were done by Monsieur Hacquin, now at Paris and Madrid, as by the picture of S. del Piombo in our National Gallery.

Pictures painted on copper are generally small; they usually preserve well, but are liable to receive indentations from blows. When such an accident has occurred, the only remedy is to submit the injured part to powerful pressure, by placing it between a number of mill-boards in a bookseller's screw-press, although this may occasion the displacement of the colour in the space which the indentation occupies. The greatest inconvenience with respect to pictures on copper arises from the nature of the surface preventing the ground from adhering; the paint and ground consequently scale off very readily even by the shaking to which a thin plate of metal may be subjected, and on this account when the copper has bulged, generally from its even flatness, it is dangerous to submit the picture altogether to pressure, to reduce it to the even and flat surface so desirable in all pictures.

In the early period of art, wood was very generally employed for painting on; but as canvas possessed capability of tension, lightness, and an even surface, it

soon obtained the preference over every other material. Canvas appears to have been first made use of extensively by the founders of the Venetian School.

Pictures painted on canvas are liable to be pierced in holes, or to have rents from accidents; and when placed against walls where damp is readily imbibed, or confined air allowed to act, the textile fabrics so exposed for a series of years, must, from their very nature, progress slowly and certainly to decay. The ravages of myriads of minute insects engendered by the action of damp upon the vegetable base of the canvas aid in the ultimate destruction of the web; the picture then hangs loosely on its frame, and as it cannot be wedged up flat, from the danger of coming to pieces, if strained in this rotten condition, the remedy is to line it with a new canvas.

This is one of the most important proceedings to secure a picture from farther injury. It is performed with great ability by many persons in London, and at very moderate charges.

#### LINING OF PAINTINGS.

Preliminary to commencing the operation of lining, the picture should be carefully cut from the old frame on which it has been fastened, and the edges perfectly squared: it should then be entirely covered on the face by having smooth clean paper pasted over it. If the

canvas is very rotten two or three sheets over each other may with propriety be used, or if it should be merely fragments in parts, the safest way is to paste over the paper a fine muslin. The intention of this is to preserve the paint from scratches or injury during the subsequent processes, as well as to hold together in their proper places any parts that may have become detached or loosened by the decay of the original canvas. In most cases it is better to paste the paper on the painting before it is taken off the old frame, otherwise the contraction of the paper in drying will draw up the painting in such a manner as to endanger the success of the subsequent operation. The picture is now to be placed on a very level table, made of wood, quite free from the grain which deal possesses, as the slightest grain or indentation of the lining table will be imprinted on the painting, by the final operation of facing or ironing; or if the picture is small, it may be placed on a marble slab of very smooth surface. The back is then to be cleared of any rags, patches or adhesions, by using lightly a knife or pumice-stone, and by means of a brush the whole is covered with a mixture of glue and paste in equal proportions: a piece of new linen or fine canvas, an inch and a half every way larger, is now to be laid evenly on the picture, and pressed on it by the hand over every part until it completely adheres.

The fixing of the picture upon the new canvas is

usually effected by an equal mixture of glue with paste. It is in the progress of the decomposition of this mixture, through the influence of damp, that the insect race is engendered, and unless checked will, in the end, not merely destroy the canvas, but penetrate completely through the surface of the picture, producing a perfect dimness of appearance in colours, which were otherwise brilliant. To counteract this species of dissolution, if the adhesive medium of paste and glue is mixed with creosote, it will not only destroy the germ of mischief, and prevent the generation of animal matter, but it has a very beneficial influence in resisting the effects of damp; the creosote being, as is well known, the oil of tar, will completely prevent the accidents which sometimes occur to newly lined pictures in becoming detached from the lining, by being hung in large halls or apartments where a fire is never kept. Bookbinders use the decoction of colocynth, or ox-gall, in mixing their paste, which preserves the binding of books from the ravages of worms; but that is insufficient against damp, and less permanent than creosote. Corrosive sublimate also affords protection against insect ravages.

When the new canvas or lining has been placed on the picture by the adhesive medium, and pressed closely together by the hand, it must be left until it is nearly dry, when a heated iron of considerable weight, such as a hatter's or a tailor's iron, is to be passed over the new canvas until it is perfectly flat: it must be used

only by *gliding* over every part, and not by strokes or a succession of heavy pressures, or blows. The iron used should be four or five inches broad, and weigh from 15lb. to 20lb.

In using the iron, the degree of heat is a consideration of the highest consequence, the just medium is only acquired by experience; if it is too cold, the effect of rendering the whole evenly flat, is not obtained: while on the contrary, a degree of heat at the burning point would destroy the fibres of the new canvas, and at somewhat less than this the total discoloration of the paint ensues. A careless person has sometimes thus converted a portrait into the complexion of a mulatto; white becomes tawny, and all other colours suffer a radical change.

The picture may now be placed on a new stretching or wedged frame, carefully and evenly made, and cross-barred for the smallest picture as well as the largest. The cross-barring is of great consequence to keep the picture firm and steady, and the bars should be doubled or tripled if the picture be of large dimensions. The frame must be made a little wider each way than the picture, and the part of the new canvas beyond the picture must be carefully glued to the stretching frame. Small tacks may also be used on the edges in the same manner as when prepared cloths are fastened to the frames used by artists for painting on. When the whole of this process has been completed, and a suffi-

cient time allowed for the cement to harden perfectly, the paper pasted on the surface may be carefully and gently removed by a sponge merely damped, and the wedges being driven close, the operation of lining is ended.

Professional liners use large stretching frames adapted to the width of a large canvas, and place two or more pictures together, according to their size, when the space admits, on this temporary stretching frame. This has the great advantage of preparing the picture for the new wedged frames, without requiring much driving of the wedges to obtain the perfect flatness which a newly lined picture should always possess.

Many pictures before lining are little more than a mass of fragments easily displaced from their proper position, or perhaps altogether lost. Some French liners, where the surface is very much broken up, secure the whole in its place by pasting a fine muslin over instead of paper: each mode has its advantages; but we have before said the safest way is to put the paper next to the picture. As this comes off in small fragments by damping, it is less liable to disturb the surface of a dilapidated picture which has been lined, than by wetting the muslin and skinning it off.

Should there be a hole in the picture of any size, a piece of any old worthless painting may be cut to the shape of the damage, and inserted with great accuracy before the new canvas is laid on; care, however, must be taken that it be a canvas of similar texture and

thread to that of the picture, and that the threads of the inserted piece be placed exactly parallel with those of the canvas of the picture. This is to be done by placing a piece of old canvas behind the part intended to be cut out, and by then cutting through both at the same time with a sharp knife, thus making sure that the piece to be inserted exactly fits the space cut out. This mode is every way preferable to filling the holes with large stoppings, as they are termed, inasmuch as it continues the grain equally on the surface, and assists materially to conceal the restoration of the damage.

During all operations of lining, and generally of cleaning pictures, saturation by water is highly dangerous: its utmost use should be limited to application by means of a squeezed piece of sponge, or, what is better, a piece of buff leather soaked, and wrung out. Water is a most dangerous enemy to pictures: it penetrates to the priming or grounds, loosening them by causing a decomposition of the size they are worked with, and thus laying the foundation for their entire breaking up and decay; imbibed damp will eventually destroy every woven stuff, and our daily experience shows its lamentable effects on the walls of our dwellings. It must be equally destructive to the canvas of our pictures, and to the materials which form its priming.

All the pictures of the early masters of the Italian School, with those by Claude and William Vandervelde, painted on the chalk and absorbent grounds, are in the

greatest danger if washed with water. It penetrates through the small crevices which may be in the paint, and often totally destroys the picture. If the picture be upon canvas, like those of the two latter named masters, it breaks into a thousand small lines or cracks. If upon panel, like the pictures of Raffaelle, Andrea del Sarto or Fra Bartolomeo, it breaks up the paint by scaling it off in small points of the size of a pin's head. In either case it is equally destructive. If the picture, again, is of the Spanish School, and is painted upon the red absorbent grounds, upon a rough canvas, water not only breaks the unity of its surface, but from the canvas being of a coarser texture than the pictures of Claude or William Vandervelde, it penetrates in a greater proportion, and scales it off frequently the breadth of a sixpence, especially in the dark shadows, or where the ground has not been sufficiently protected by a thick impasto of colour. At all times, and to all pictures, it is more or less dangerous, unless used with the greatest precaution, and then it ought only to be applied by the means of a piece of thick buckskin leather well wrung out, and left just wet enough to slip lightly over the surface of the picture. In the case of some masters, as those above particularly named, the free use of water may be regarded as next door to absolute destruction; and the warmer and drier the weather, the operation becomes more active and ruinous. Instances have occurred in which an Andrea

del Sarto, a Claude and a William Vandervelde were destroyed in a few minutes by the injudicious use of simple water.

Great precaution and tenderness must be observed not to weaken or injure the threads, which are often, from the effects of age, very rotten. In using the mixture of glue and paste, it is not necessary to soak it in, or lay it on in quantity, but only to use enough to induce complete adhesion: and it ought to be here remarked, that before the business of lining any picture is undertaken, the dirt and varnish on the face of the picture should be cleaned off, as much as may be judged convenient, by the means hereafter described.

The difficult part of the proceeding is now to take place—using the hot iron. This has been previously adverted to, but cannot be too strongly impressed. The effect of heated iron brought into contact with paint, is known to every one, and a moment's reflection will bring to mind the consequences of an incautious or improper application. Tailors, hatters, and workers in other trades, by repeated practice, can tell the precise degree of heat which will answer their intended purpose: in such hands the heated iron is applied with the greatest safety. In lining pictures the least excess of heat beyond the degree required may occasion irreparable injuries. Pictures have been so burnt, that either a total and irremediable discoloration has ensued, or they have become so dried and

perished, that the particles have only been kept together by being abundantly imbued with stiff varnish. In the latter case the picture can never again be cleaned ; in attempting to do so, the whole would come away from the canvas.

In using the heated iron the picture ought to be perfectly flattened by the weight alone ; it is not to be rubbed over with manual force as linen is ironed by laundresses : nor ought it to be stamped down. By doing so every fragment on the surface, that had any projection from the ground, would be crushed, and all those small prominences of colour left by the artist for pictorial effect destroyed. What would become of a fine Rembrandt in his buttery manner of laying on colour, or a brilliant picture by Turner, if subjected to violent blows on the reverse side from a weighty mass of iron ? If the picture has been painted in the fat manner with points or ridges of colour left by the brush standing up on the face of it, it is necessary when using the iron to place on the table a piece of close-woven woollen cloth, and let it interpose between the table and the face of the painting in the same manner as laundresses use an ironing cloth. If, on the contrary, the face of the picture is very smooth, it has most likely been painted with the colour much diluted with oil, or some similar vehicle, and in this case the iron must not be used so highly heated.

One inconvenience arising from lining paintings not

always foreseen, is, that if the picture is cracked over, or has any apertures in the paint, they sometimes become larger and so much more apparent, that after this operation, it becomes necessary to repair the cracks, or the painting looks much worse than it did before it was lined. This happens from the increased strain given to the threads of the canvas when on the stretching frame to dry; and from the expansion that takes place in driving home the keys of the new wedged frames.

As it sometimes happens that a hole is pierced in a picture which is otherwise quite sound, and still on a firm stretching-frame, it need not in such case undergo the lining operation; the damage may be made good by laying the picture down on a flat surface, and fastening a small piece of new canvas on the damaged part alone. Neither glue, gum, or paste, will cause it to adhere without leaving the form of the new patch visible on the face of the picture, but if powdered gum mastic is placed between them, and a hot iron squeezed over the place, the adhesion will be effectual, and be invisible on the surface.

#### CLEANING OF PAINTINGS.

The decayed, damaged, and faded conditions of pictures arise from so many and such varying circumstances, that they may be considered analogous to the diseases of human beings, and are occasioned also

by innumerable accidental causes. The following very sensible remarks on this subject are quoted from Field's "Chromatography":—"Picture cleaning has become a mystery in which all the quackery of art has long been practised and profitably employed, and in which every practitioner has his favourite nostrum for doctoring, which too often denotes destroying, under the pretence of restoring and preserving. The restoration of disfigured and decayed works of art is, nevertheless, next in importance to their production.

"This medication of pictures is, then, no mean art, but is, when divested of quackery and fraud, as honourable in its bearing, as any other form of healing art; and to be well qualified for its practice, requires a thorough education and knowledge in everything that relates to the practice of painting, or the production of a picture, but more particularly to its chemical constitution and colouring. As, however, a picture has no natural, and little of a regular constitution, it will be difficult to give general rules, and utterly impossible to prescribe universal remedies for cleaning and restoring pictures injured by time and ill-usage."

Having seen what is to be encountered in cleaning pictures, the next consideration is the means to be employed: these may be divided into two parts, first, removing varnish: and, second, removing dirt or discoloration. For the latter purpose, ox-gall, applied with a soft brush, is an excellent detergent, and may

be freely applied without fear ; it must, however, be well washed off with pure water, or it will leave a clamminess on the surface that may prevent the varnish afterwards applied from drying.

Before attempting to clean any picture which has been lined, the face of it should be carefully wiped with a damp rag, to take off the glue and paste which may have been left on the surface during this process, and afterwards slightly cleaned over with diluted ox-gall. The neglect of this, causes the attempt to clean the varnish off abortive ; as the spirit has its action impeded by the interposition of the remains of this adhesive medium.

Various kinds of varnish having been in use, it is desirable to be acquainted with the nature of that which has been applied to the picture about to be cleaned, and the period when it was varnished. If the varnish is recent, it is more easily removed : but in proportion to its age it becomes difficult. In the latter case, it is frequently useful, before attempting the removal, to give the work a new coating of varnish, always previously wiping off all dust or dirt by a soft cloth, or a damp sponge : indeed this clearing off should be the very first operation in all cases. When the new varnish is dry, it will, on applying a solvent, be found to have attached itself to the old, and both may be removed without difficulty ; whereas, without this preliminary coat, much friction may become necessary, and consequently injury ensue.

The solvents employed to remove varnishes are liquor potassæ, oil of tartar, spirits of wine, pure alcohol, liquor ammoniæ fortis, naphtha, ether, soda, and oil of spike lavender. The very nomenclature of these powerful agents will at once show the great risk of their being injudiciously or carelessly employed.

All pictures to be cleansed should be laid flat; for if placed either obliquely or upright, considerable danger is incurred by the solvent running down the surface of the picture. For instance, a slight stream of ammonia, or other strong solvent, may partially or entirely dissolve and carry away all the colour it meets with in its track of descent.

It must be observed, that in attempting to clean a picture, nothing short of good practice, and a knowledge of the chemical habitudes of the materials employed on the picture, can make the undertaking a safe one; so that an operator may be able, in case of accident, to fall back upon his judgment, and be prepared with an antidote instantly to arrest mischief.

For tender varnishes, such as mastic, spirits of wine may be employed with considerable safety: to make assurance doubly certain, it is desirable that the spirit, which is usually sold at 58 degrees of strength, should be diluted by a fourth part of water, or by the same proportion of rectified spirits of turpentine, or it may be used with an addition of a sixth part of linseed oil, added to the diluted, or to the pure spirit. In every

instance, the mixtures must be well shaken together every time of using.

The addition of turpentine to the spirit diminishes its action to a safer ratio, and has the beneficial effect of guarding, in some measure, against any consequences of friction. By the addition of linseed oil, the operator is enabled to see the full action of the spirit, without its being concealed by the bloom produced in its rapid evaporation.

The principal objection to the mixture of oil with spirit in cleaning, is, that the oil by affinity to the same medium with which the picture was painted, is certain to attack or soften the colours, and if the rubbing is continued from necessity, for any time, a portion of the paint may be brought away with the varnish, to the great damage of the picture.

If the picture be a figure subject, it is safest to begin with the flesh; if a landscape, with the sky, and in any subject with the brightest part. On a light colour, the action of the solvents is most readily and surely ascertained, and the necessary degree of dilution determined upon; the effect produced is more readily observed, and as all flesh tints, skies, and other bright parts are painted with colours, of which flake white forms a considerable proportion, these parts are always the hardest, and may therefore be more safely commenced upon than the thin shadows or glazes.

Having made a preliminary observation on the part

which it is proposed to commence upon, a small tuft of raw cotton wool must be slightly wetted with the prepared spirit, before described: hold this in the right hand; saturate another piece of wool with rectified spirits of turpentine, and hold this in the left hand.

The picture being laid flat, commence wiping off the varnish from the already determined place on the surface of the picture with the wool that has imbibed the spirit. If it is the soft or mastic varnish so generally used it will come up with a slight friction, rubbing gently a very small portion of the surface of the picture in a circular direction. After two or three evolutions, examine the tuft of cotton wool, and you will find it discoloured, by its having taken up some portion of the varnish; turn the wool round to get a clean part, and use it till it is similarly discoloured; immediately wipe the place cleaned with the other piece of wool which is saturated with the turpentine.

The oftener clean wool is taken the better, as it is more readily seen when the paint is touched. The least deviation from the tone of the varnish on the cotton wool should be immediately attended to, as it is a sure sign of approaching danger, and the action should be stopped by applying the turpentine.

Turpentine is a counteracting medium, which instantly arrests the action of the solvent spirit. The wool must be changed as fast as it receives the dislodged varnish; for the varnish once taken on the

tuft, impedes the due action of the spirit by its inter-position.

By following this process with the greatest attention to the appearance of the surface, the whole of the varnish on it may be entirely removed; and when this is completed, it should be wiped all over with spirits of turpentine; after the evaporation of which it may be immediately re-varnished; that is presuming the surface will be found in a perfect condition, and not require either retouches in slight damages, or restoration.

To re-varnish the picture, take two-thirds of mastic varnish, as sold by the colourmen who supply artists, and add one-third of spirits of turpentine; mix them well together: this ought to be done with the application of heat, but, as it is very dangerous to do so over a fire, it may be done by placing the varnish pot in a bowl of boiling water, until a vapour arises from the combined varnish and turpentine. Varnish the picture then with this preparation as thinly as possible, brushing briskly over every part with the varnish brush. This may be repeated two or three times, until it gives complete satisfaction. The only way to get it on smooth, is to repeat several of these thin layers. If the picture need restoration of colours, one coat of varnish is sufficient to bear out the colours for the purpose of repairing.

From the published Report of the Select Committee

of the House of Commons, it appears in evidence, that very many pictures have had a small proportion of oil mixed with the mastic varnish. This has been done with the idea of preventing the bloom or chilliness sometimes observed on newly varnished pictures. The practice is however much to be deprecated, as it can hardly ever be totally removed, becomes discoloured and will never afterwards admit but of its continuance, for varnish subsequently applied without the addition of the oil, would cause the pictures to crack all over.

There is another mode practised of rubbing off the varnish with the cuticle of the fingers; but this dry rubbing exacts considerable force, which is very injurious to fine pictures, often depriving them of their crispness of touch, and making the whole painting look woolly, while, by the prudent use of a solvent, in presence of a counteracting medium, no damage, with due care, will be inflicted.

In pictures representing marine vessels, the delicate lines of the rigging are certain of being rubbed out by friction, and it requires great attention to avoid disturbing them even by the use of the spirit.

When there is no varnish on a picture, and the discolouration arises from the smoke of fire-places, or is caused by the oil in which the colours are ground rising to the surface as the paint hardens, it can only be remedied by the use of a very fine grit, either of powdered pumicestone, or Flanders' brick, separate, or

united with some powdered whiting, according to the circumstances of the case; but this is more dangerous than any other mode in inexperienced hands.

For hard varnish, such as copal, a fine-edged knife or razor is sometimes employed, but it is both tedious and unsatisfactory, therefore the stronger solvents, such as liquor potassæ, or liquor ammoniæ fortis, are usually brought into action; but in proportion to the strength of the solvent, must the progress of the work be carefully watched or the least neglect may soon occasion a fatal accident.

It is hardly possible to give decided rules how to distinguish the different varnishes on a picture, so much depends on experience; but copal may mostly be known by its resistance to the use of the ordinary solvents. It is equally impossible to prescribe the exact quantities of the solvents to be employed on pictures generally, without a knowledge of the principles upon which they were individually executed, whether with solid colour, or with glazings in oil, varnish, or megilp; and what restoratives or repaints have been at various times added. Some acquaintance with the methods of the different schools and masters is necessary to account for the alterations, changes of tone, or state of decay, in which the pictures happen to be.

Any attempt to soften the varnish, by moistening, or allowing the solvent to float over the surface for a

time, before using the cotton to wipe up, is a most dangerous experiment; the necessity has already been shown of being prepared with the counteracting medium on the slightest appearance of mischief; therefore a powerful solvent allowed to remain acting chemically to decompose the varnish, may suddenly penetrate to the paint, and succeed in dislodging it in a mass from the ground.

When a picture has never received any varnish, it is not proper to apply a solvent at all to clean it. Solvents are only necessary to remove varnish. The course then to be adopted, is to wipe off as much dirt as possible by a piece of buff leather that has been damped and wrung nearly dry: and it will much assist the clearing off, if some powdered whiting is made use of, as soap usually is.

The common method of removing varnish by friction, is by rubbing the surface with the ends of the fingers, previously dipped in a little finely-powdered resin. By continuing this rubbing for some time, the varnish gives way, and may be completely removed. It will come up like an impalpable white powder, and should be constantly wiped off to allow the picture being seen, to ascertain when all the varnish is taken up, that the paint may receive no damage. The dust ought to be frequently wiped off, to ascertain that the picture is not receiving damage.

The objection to the use of friction by the fingers to

remove varnish, is the injury inflicted, more or less, on the paint. That continued friction, even of the softest bodies, will make impression on the hardest surface, is well known.

In canvas, where the threads cross each other in the weaving, they form a continuous grain of fine points. When paint is laid on this granulated surface, it sinks into the numerous depressions, and lies thinner on the raised parts forming the grain. Friction, therefore, rubs down the paint from these small eminences, particularly if a coarse canvas has been employed, so that, frequently, in cleaning a picture by friction, the colour at last remains only in the interstices of the threads, and presents an appearance of minute tracery, or reticulation, very similar to the web of bobbin net.

If the picture is painted on a panel, the fibres of the wood become more prominent with age, by desiccation, and the application of friction here will leave the painting with every minute grain marked by a fine line, showing the bare surface. The restoring of this kind of damage by colour, is a work of great tediousness and uncertainty.

The greatest difficulty met with in cleaning, is to take off those repaints which may at various times have been added. If they are of the true tints, and have been judiciously done, they should certainly be left undisturbed ; but if any change of tone, destruc-

tive of the harmony of the work, is visible, they must be removed.

Caustic, soap-makers' ley, liquor potassæ, pure alcohol, and the scraper, are the ordinary means to take off repaints: all of them dangerous, if not closely watched and used without violence.

#### RESTORATION.

Having been sufficiently diffuse on the manner of cleaning the dirt and varnish from the surface of paintings, I now offer a few remarks on the restoration or reparation of damages or decay in pictures.

As there may be holes or fissures from accident or other causes, on the surface of either the panel or canvas on which the pictures have been painted, before proceeding to any rectification of colour, it will be necessary to fill up, or in the language of the craft, to stop up all such damages. This is usually done by working in firmly, with a palette knife, a paste made of whiting and parchment size of about the same consistence as putty; or, instead of parchment size, good stiff glue may be used with the whiting. If the picture has been painted on an oil ground, it may be very carefully filled in with white lead made into a thick consistence with linseed oil. In the first case, when the paste is quite hard and dry, the superfluous portion must be rubbed off by the gentle use of a piece of fine-grained cork, damped with a little water; and in the latter, a small

piece of soft-grained pumice-stone, with water. The picture should then be thoroughly cleaned on its surface by a rag dipped in turpentine, to take off all greasy matter; or it may be wiped over by a rag not wetted, but merely damped with ox-gall.

Should the picture have become very much obscured, through having been kept for a length of time in a very feeble light, it would be much benefitted by being placed opposite to a window, where it could receive a strong sunlight on it for two or three months. I have seen many pictures, which were nearly obscured from the preceding cause, restored to a greater lustre and brilliancy by such exposure alone. This is particularly the case with the early pictures of our English school, which may have been constantly placed in dark portions of apartments, or in ill-lighted halls and staircases.

Before any repair of the painting takes place, a very thin coat of mastic varnish, diluted and prepared as I have before described, must be laid on; this is necessary, to enable us to view the colours in their proper tone.

To obtain purity of colour, and durability of tint, it is absolutely necessary, firstly, to make use of those pigments only that are permanent. Secondly, that in mixing the tints to match the parts to be repainted, none but very clear and pure tints be used: by this I mean tints formed of as few colours as possible. It is

allowed that a tint compounded of two colours or pigments only is more permanent than one compounded of three; and equally so is a tint compounded of three colours, in preference to one compounded of four. Therefore, all tints used in repairing should be mixed as simply as possible, and not made up, as modern painters too frequently do, from a scumbling together of all the contents of the palette. Fuseli, in his lectures, remarks on the combination of tint, "two colours make a fine tint, three colours are less satisfactory, but four colours make *mud*." The next precaution is to mix all colours thoroughly, to work them well together with the palette-knife. The importance of this is not at first striking, but is of primary consequence; the neglect of doing so, will cause an unexpected change of tint. This ensues from the different density of the various pigments composing the tints, which, if not well worked together, the weighty colour sinks, and the less weighty one rises to the surface. With all colours prepared from lead and mercury, a horn or ivory palette knife should be used instead of the steel one; the abrasion of the latter in working together the tints required becomes an active cause of foul discoloration.

The colour should be worked as thick and pasty as is possible to use it, and not in the oily and sloppy condition of modern practice. Reference to the works of the old, and particularly to the earlier, masters,

which have stood the test of centuries, and come down to the present time in their primitive brightness, will convince us that it was their method to use pure tints, in the least fluid condition.

The tints used should always be a degree or shade brighter than the part they are matched to, otherwise, as they sink or acquire a darker tone in drying, the repairing touches will appear visible and detached ; the neglect of this precaution will be apparent on hundreds of pictures, if connoisseurs carefully examine them.

The artistic part of the restoration of damage or decay requires little comment ; it is evident that the possession of ability must be desirable, almost necessary in the restorer, in the same degree as in the original artist. Whoever presumes to add colour to a work of art should have a thorough understanding, a just appreciation of the fine qualities of the master, to be able to do so without deterioration of his excellencies. Who will question that a picture of Raffaelle may have an injury safely restored by the hand of an Eastlake, or a fine Claude by the magical pencil of a Danby, if they would so employ their great abilities ?

When all the parts of a damaged picture are restored by the pencil of the artist, to ensure complete success, the work should be laid aside for some considerable time, perhaps three, or even six, months. If kept in a tolerably dry atmosphere, and not varnished, the paint

hardens, and the oil of the renewed paint will, by the process of dessication, rise to the surface ; it should then be carefully wiped off with turpentine, when the body of the colour will be left in the purest state possible : every damage or repair, if judiciously executed, being unobservable by the most scrutinizing eye. The same process would give the greatest light, purity of tone, and dazzling brilliancy to a modern picture, if this practice were pursued of getting off all superfluous oil which is thrown out by the drying of the colour, always using the colour in the most pasty condition possible to work with, and allowing some months to elapse before varnishing. But modern practice must oil out, as it is termed, to saturate the picture in process of painting, besides the employment of a multitude of nostrums rather than solid painting, after which an immediate varnish completes the heterogeneous combination.

Previous to varnishing a repaired picture, it may receive over its surface a slight layer of weak isinglass size. This is perfectly transparent, and has the advantage of offering an interposing medium between the varnish, and the new paint, which prevents their combination, and consequently, breaking up or cracking, should the new paint not have become sufficiently hard to resist the varnish.

It has been suggested that the use of body colours with a water medium would be the safest to prevent

the change of colours in the repairs. It might perhaps answer in the bright painted skies in landscape, water, &c., but it requires great artistic skill to manage its exact tone: there is no question of its being unchangeable, and this seems its only advantage.

There is another method adopted in the restoration of damages, which consists in the use of powder colours with copal varnish, or varnish megilp.

It cannot be denied that all pictures suffer some deterioration by being touched at all; the less that can be done to them the better: it should be just sufficient to bring them back as near to their original state as possible; and in every case works of value should be trusted to efficient hands only, if we would retain our property and have their excellencies perpetuated for the instruction and admiration of future ages.

THE END.

LONDON:

Printed by A. Schulze, 13, Poland Street.

WINSOR & NEWTON'S  
LIST OF  
COLOURS AND MATERIALS  
FOR  
WATER COLOUR PAINTING,  
OIL COLOUR PAINTING,  
PENCIL DRAWING, &c.

INCLUDING

WATER AND OIL COLOURS, BRUSHES, PENCILS,  
DRAWING PAPERS AND STATIONERY, PREPARED CANVAS, STEEL WARE,  
JAPANNED WARE, CABINET WARE, ARTISTS' CHINA WARE,  
AND PUBLICATIONS ON THE FINE ARTS.



WINSOR & NEWTON,  
Manufacturing Artists' Colourmen by Special Appointment to  
HER MAJESTY,  
And Their Royal Highnesses the Prince and Princess of Wales.  
38, RATHBONE PLACE, LONDON.



WINSOR & NEWTON'S  
FINELY PREPARED OIL COLOURS  
IN COLLAPSIBLE TUBES.

---

WINSOR & NEWTON have long paid special attention to the production and preparation of their Artists' Oil Colours, which have attained their present high reputation by possessing characteristic qualities, established by every variety of conclusive test.

The Pigments used are of the highest and purest quality. At the "North London Colour Works" Winsor & Newton possess every facility, and appliance, for the production of manufactured colours, and for the testing, purifying, &c., of natural ones.

Grinding Artists' Colours by machinery was first commenced by Winsor and Newton in 1840, special apparatus being invented by them for the purpose. Since that period still further improvements have been made; and at present there exists no machinery that for power and precision, combined with great cleanliness in working, can at all compare with that invented and perfected by Winsor and Newton for the grinding of their Artists' Oil Colours.

No mediums or admixtures are used in the preparation of these Colours, which consequently keep fresh and pure, and ready for use, without reference to time or climate.

Briefly, therefore, it may be mentioned that the best and purest pigments most thoroughly ground in unadulterated Oil, form the ingredients of Winsor and Newton's Artists' Oil Colours, causing them to take the foremost rank, and to be used most extensively both at home and abroad.


---

<i>Illustrations at pages</i>	51 and 52.
<i>Particulars and Prices at pages.</i>	53 and 54.

WINSOR & NEWTON'S  
FINELY PREPARED OIL COLOURS,

ILLUSTRATIONS.

(Sizes of the Tubes.)




Quadruple (4 inch) Tube.

Double (4 inch) Tube.

ILLUSTRATIONS *continued.*

(Sizes of Tubes.)



4 inch Tube.



3 inch Tube.



2 inch Tube.

(Particulars and Prices at pages 53 and 54.)

WINSOR & NEWTON'S  
**FINELY PREPARED OIL COLOURS,**  
 IN COLLAPSIBLE TUBES.

*(See Illustrations on previous pages.)*

SINGLE TUBES, 4d. EACH.

DOUBLE TUBES, 8d. EACH.

TREBLE TUBES, 1s. EACH.

QUADRUPLE TUBES, 1s. 4d. EACH.

Antwerp Blue  
 Asphaltum  
 Bitumen  
 Black Lead  
 Blanc d'Argent  
 Blue Black  
 Bone Brown  
 Brown Ochre  
 Brown Pink  
 Burnt Sienna  
 Burnt Umber  
 Cappah Brown  
 Chrome Green, Light  
 Chrome Green, Middle  
 Chrome Green, Deep  
 Chrome Yellow, Pale  
 Chrome, Deep  
 Chrome, Orange  
 Chrome, Red  
 Cologne Earth  
 Copal Megilp  
 Cremnitz White  
 Crimson Lake  
 Emerald Green  
 Flake White  
 Gamboge, Extract of  
 Indian Lake  
 Indian Red  
 Indigo  
 Italian Pink  
 Ivory Black

Lamp Black  
 Light Red  
 Megilp  
 Mummy  
 Naples Yellow, Light  
 Naples Yellow, Deep  
 Neutral Tint  
 New Blue  
 Payne's Grey  
 Permanent Blue  
 Permanent White  
 Prussian Blue  
 Prussian Brown  
 Purple Lake  
 Pyne's Megilp  
 Raw Sienna  
 Raw Umber  
 Roman Ochre  
 Scarlet Lake  
 Sugar of Lead  
 Terra Rosa  
 Terre Verte  
 Transparent Gold Ochre  
 Vandyke Brown  
 Venetian Red  
 Verdigris  
 Verona Brown  
 Yellow Lake  
 Yellow Ochre  
 Zinc White

## 6d. EACH.

Burnt Lake	Chinese Vermilion
Cerulean Blue	Vermilion

## 1s. EACH.

Brown Madder	Mars Red
Carmine, No. 2	Mars Violet
Cobalt Blue	Mars Yellow
Extract of Vermilion	Mineral Grey
French Ultramarine	Orange Vermilion
French Veronese Green	Oxide of Chromium
Indian Yellow	Ditto Transparent
Lemon Yellow, Pale	Pink Madder
Lemon Yellow, Deep	Rembrandt's Madder
Madder Lake	Rose Madder
Malachite Green	Rubens' Madder
Mars Brown	Scarlet Vermilion

## 1s. 6d. EACH.

Brilliant Ultramarine	Mars Orange
Burnt Carmine	Purple Madder
Carmine	Violet Carmine
Extra Malachite Green	Viridian
Madder Carmine	

## 2s. 6d. EACH.

Aureolin	Field's Orange Vermilion
Cadmium Yellow, Pale	Orient Yellow
Cadmium Yellow, Deep	Ultramarine Ash
Cadmium Orange	

## 4s. EACH.

Extra Madder Carmine	Extra Purple Madder
----------------------	---------------------

Genuine Ultramarine.

Medium strength, 10s. 6d. each. Full strength, 21s. each.

## WINSOR &amp; NEWTON'S

## JAPANNED TIN


## BOXES OF OIL COLOURS &amp; MATERIALS.

FITTED COMPLETE.




Messrs. WINSOR & NEWTON beg to mention that they have re-designed and re-arranged most of their Oil Colour Tube Boxes, and have introduced some new patterns. The range is extensive, and may be said to meet every possible requirement. The Boxes themselves are handsome and well made, and they are fitted up in the most complete manner.

POCKET TUBE BOX.



POCKET MATERIAL BOX.



Price 10s. 6d.—fitted complete. (Empty Box, 5s.)


POCKET TUBE Box: Size 9 $\frac{3}{4}$  inches by 3 $\frac{3}{4}$ ,  $\frac{3}{4}$  deep, containing twelve Colours, Chalk, Portcrayon, and Palette Knife.

Price 10s. 6d.—fitted complete. (Empty Box, 5s.)

POCKET MATERIAL Box: Size 9 $\frac{3}{4}$  inches by 3 $\frac{3}{4}$ , 1 $\frac{1}{2}$  deep: containing Sable and Hoghair Brushes, Linseed Oil, Turpentine, Dipper, and Folding Mahogany Palette.

---

**STUDENT'S BOX**



Price £1 1s.—fitted complete. (Empty Box, 8s. 6d.)

**STUDENT'S BOX**: Size 12½ inches by 6½, 1½ deep: containing fifteen Colours. Also Sable Brushes, Hoghair ditto, and Badger Softener; Chalk, Portcrayon, Palette Knife; Oil, Turps; and Palette.

---


**COMPANION BOX.**




Price £1 11s. 6d.—fitted complete. (Empty Box, 9s. 6d.)

**COMPANION BOX**: Size 13 inches by 9, 1½ deep: containing twenty Colours. Also Sable Brushes, Hoghair ditto, and Softener; Chalk and Portcrayon; Palette Knife, Dipper; Oil, Turps; and Palette.


---

**PORTABLE BOX.**

Price £2 2s.—fitted complete. (Empty Box, 15s.)  
 PORTABLE BOX : Size 13 $\frac{3}{4}$  inches by 9, 1 $\frac{3}{4}$  deep : containing twenty-two Colours. Also Brushes, and other Materials.


**DOUBLE PORTABLE BOX.**

Price £2 12s. 6d.—fitted complete. (Empty Box, 18s.)  
 DOUBLE PORTABLE BOX : Size 13 $\frac{3}{4}$  inches by 9, 2 $\frac{1}{2}$  deep : containing twenty-four Colours. Also Brushes and other Materials.

**SKETCHING BOX.**


Price £1 15s.—fitted complete. (Empty Box, £1 1s.)

**SKETCHING BOX:** Size 13 inches by 5, 2 inches deep: containing eighteen Colours. Also Brushes, and other Materials.


**ACADEMY BOX.**

Price £3 3s.—fitted complete. (Empty Box, £1 2s. 6d.)

**ACADEMY BOX:** Size 12½ inches by 9, 4½ inches deep: containing thirty Colours. Also Sable and Hoghair Brushes, and Softener; Chalk, Charcoal and Portercrayon; Palette Knife, Double Capped Dipper; Varnish, Oil and Turps; Palette and two 12 x 8 prepared Millboards.




STUDIO BOX, No. 1.



STUDIO BOX, No. 2.

**STUDIO BOX, No. 3.**



---

FOR PRICES AND PARTICULARS


OF

**STUDIO BOXES, Nos. 1, 2, and 3.**

*See page 62.*

---

---

**STUDIO BOX, No. 4.**

(For Price and Particulars see opposite page.)

**STUDIO BOX, No. 1.** (*Illustrated at page 59.*)

Price £3 13s 6d.—fitted complete. (Empty Box, £1 5s.)

STUDIO Box, No. 1: Size 12 $\frac{3}{4}$  inches by 10, 4 deep: containing thirty-two Colours. Also Sable Brushes, Hoghair ditto, and Badger Softener; Chalk, and Porterayon; Steel Palette Knife, and Ivory ditto; Capped Dipper; Mastic Varnish, Pale Drying Oil, Linseed Oil, and Turps; Palette, and two 12 x 9 Millboards.

**STUDIO BOX, No. 2.** (*Illustrated at page 59.*)

Price £5 5s.—fitted complete. (Empty Box, £1 15s.)

STUDIO Box: No. 2: Size 15 inches by 11, 4 deep: containing forty Colours. Also Sable Brushes, Hoghair ditto, and Badger Softener; Chalk, Charcoal, and Porterayon; Steel and Ivory Palette Knives; Double Capped Dipper; Mastic Varnish, Pale Drying Oil, Linseed Oil, and Turps; Palette, and two 14 x 10 Millboards.

**STUDIO BOX, No. 3.** (*Illustrated at page 60.*)

Price £12 12s.—fitted complete. (Empty Box, £3 10s.)

STUDIO Box, No. 3: Size 17 $\frac{3}{4}$  inches by 12 $\frac{1}{2}$ , 5 $\frac{1}{2}$  deep: containing sixty Colours. Also Sable Brushes, Hoghair ditto, and Badger Softener; Chalk, Charcoal, and Porterayon; Steel and Ivory Palette Knives; Steel Oil Scraper; Double Capped Dipper, and Rimmed ditto; Folding Mahl Stick; Mastic Varnish, Picture Copal ditto, Pale Drying, Linseed, and Poppy Oil, and Turps; Palette, and three 17 x 12 Millboards. Also Fine Colours: Lemon Yellow, Extra Fine Crimson Lake, Orient Carmine, Rose Madder, and Extra Fine French Ultramarine.

**STUDIO BOX, No. 4.** (*Illustrated opposite.*)

Price £26 5s.—fitted complete. (Empty Box, £8 10s.)

STUDIO Box, No. 4: Size 20 inches by 14, 8 $\frac{1}{2}$  deep: containing eighty-four Colours. *Also a complete assortment of Materials:* comprising Flat and Round Sable Brushes, Rigger, Bright, and Fan ditto; Flat and Round Hoghair Brushes, Flat and Round Extra Fine ditto, Landseer, Bright, and Fan ditto, Flat Varnish Brush, and Badger Softeners; Chalk, Charcoal, and Porterayons; Steel Palette Knives, Ivory ditto, Scraper, and Artist's Pocket Knife; Brush Washer, Smudge Pan, Double Capped Dippers, and Rimmed ditto; Ground Glass Slab and Mullers; China Slabs for submerging Colours; large and small Artist's Gallipots;  $\frac{2}{3}$  pint each Mastic Varnish, Picture Copal ditto, Pale Drying, Linseed, and Poppy Oils, and Turps; 6 Japanned Bottles for ditto with screw tops; Three 19 x 13 Millboards; Palette, and Folding Mahl Stick. Also Fine Colours: Aureolin, Lemon Yellow, Extra Fine Crimson Lake, Finest Orient Carmine, Madder Carmine, Cobalt, Extra Fine French Ultramarine, and Genuine Ultramarine.

WINSOR & NEWTON'S  
 CAREFULLY LEVIGATED AND PREPARED  
 FINE COLOURS  
 FOR  
 OIL OR WATER COLOUR PAINTING,

WAX FLOWER PAINTING, ARTIFICIAL FLOWER MAKING, COLOURING,  
 TINTING, PICTURE RESTORING, CHROMO-LITHOGRAPHIC PRINTING, &c.

**Yellow and Orange.**

		Per oz.		Per oz.	
		s. d.		s. d.	
Chrome Yellow.	.	1 0	Italian Pink	.	2 0
Chrome, Deep	.	1 0	Lemon Yellow, Pale	.	6 0
Chrome, Orange	.	1 0	Lemon Yellow, Deep	.	6 0
Chrome, Red	.	1 0	Mars Yellow	.	6 0
Brown Ochre	.	1 0	Indian Yellow	.	8 0
Burnt Sienna	.	1 0	Mars Orange	.	9 0
Naples Yellow, Light	.	1 0	Cadmium Yellow, Pale	.	10 0
Naples Yellow, Deep	.	1 0	Cadmium Yellow, Deep	.	10 0
Raw Sienna	.	1 0	Cadmium Orange	.	12 0
Roman Ochre	.	1 0	Aureolin	.	12 0
Yellow Ochre	.	1 0	Orient Yellow	.	12 0
Yellow Lake	.	1 6			

**Red and Purple.**

		Per oz.		Per oz.	
		s. d.		s. d.	
Light Red	.	1 0	Extra Crimson Lake	.	9 0
Venetian Red	.	1 0	Carmine, Ordinary	.	4 0
Indian Red	.	1 6	Carmine, Fine	.	8 0
Mars Red	.	6 0	Carmine, Finest Orient	.	12 0
Pure Scarlet	.	6 0	Violet Carmine	.	12 0
Vermilion	.	0 9	Burnt Carmine	.	16 0
Scarlet Vermilion	.	1 0	Brown Madder	.	6 0
Carmine Vermilion	.	1 0	Rubens' Madder	.	6 0
Extract of Vermilion	.	1 6	Pink Madder	.	8 0
Orange Vermilion	.	2 0	Rose Madder	.	12 0
Field's Orange Vermilion	.	9 0	Madder Carmine	.	18 0
Indian Lake	.	4 0	Extra Madder Carmine	.	24 0
Purple Lake	.	6 0	Purple Madder	.	16 0
Scarlet Lake	.	8 0	Extra Purple Madder	.	30 0
Crimson Lake	.	6 0			

**Blue.**

	Per oz.		Per oz.		
	s.	d.	s.	d.	
Antwerp Blue . . . . .	1	6	Cobalt Blue . . . . .	6	0
Permanent Blue . . . . .	1	6	Smalt, Dumont's Blue . . . . .	24	0
Prussian Blue . . . . .	1	6	Mineral (Ultramarine) Grey . . . . .	4	0
Cerulean Blue . . . . .	2	0	Ultramarine Ash . . . . .	16	0
Indigo . . . . .	3	0	Ultramarine Ash, Extra . . . . .	24	0
French Ultramarine . . . . .	1	0	Ultramarine, Genuine . . . . .	42	0
Ditto, Medium . . . . .	2	0	Ditto ditto . . . . .	84	0
Ditto, Fine . . . . .	4	0	Ditto ditto . . . . .	105	0
Ditto, Extra Fine . . . . .	6	0	Ditto ditto . . . . .	147	0
Brilliant Ultramarine . . . . .	12	0			

**Green.**

	Per oz.		Per oz.		
	s.	d.	s.	d.	
Chrome Greens, Nos. 1, 2, and 3 . . . . .	1	0	Verdigris . . . . .	1	6
Emerald Green . . . . .	1	0	Green Oxide of Chromium . . . . .	4	0
Terre Verte . . . . .	1	0	Extra Malachite Green . . . . .	6	0
			Viridian . . . . .	9	0

**Brown.**

	Per oz.		Per oz.		
	s.	d.	s.	d.	
Bone Brown . . . . .	1	0	Mummy . . . . .	1	6
Burnt Umber . . . . .	1	0	Brown Pink . . . . .	2	0
Cologne Earth . . . . .	1	0	Verona Brown . . . . .	4	0
Raw Umber . . . . .	1	0	Mars Brown . . . . .	6	0
Vandyke Brown . . . . .	1	0			

**Black.**

	Per oz.		Per oz.		
	s.	d.	s.	d.	
Blue Black . . . . .	1	0	Lamp Black . . . . .	1	0
Ivory Black . . . . .	1	0			

**White.**

	Per oz.		Per oz.		
	s.	d.	s.	d.	
Flake White . . . . .	0	4	Zinc White . . . . .	0	6
Artist's Flake White . . . . .	0	6	Pure Chinese White . . . . .	1	6
Cremnitz White . . . . .	0	6			

**Sundries.**

Lump Gamboge . . . . .	per oz.	
------------------------	---------	--

---

---

WINSOR & NEWTON'S  
ARTISTS' PREPARED CANVAS.

---

The finest and best British made Canvas of Pure Flax, and the purest colours and materials only, are used by Winsor and Newton in the production of their Artists' Prepared Canvas.

The ample space afforded by their new Factory, the extensive plant contained therein, and an ample supply of trained skilled labour, enable Winsor and Newton to execute all orders within reasonable time.

The superior method of manufacture adopted by Winsor and Newton materially enhances the quality of their Artists' Canvas. It is dried naturally and without the aid of artificial means; and the adhesion of the surface of preparation to the ground of raw Canvas is so intimate and thorough, as to preclude the possibility of its peeling up or becoming detached in any way.

Winsor and Newton's Artists' Prepared Canvas is firm, solid, and strong; will bear rolling; and is warranted to keep any length of time, and in any climate without cracking.

## ARTISTS' PREPARED CANVAS.


IN ROLLS OF SIX YARDS.				CANVAS	ROMAN.	TICKEN.	
				s. d.	s. d.	s. d.	
$\frac{3}{4}$ , or 27 inches wide	.	.	.	per yard	2 9	3 3	3 9
$\frac{7}{8}$ , or 30 inches	,	.	.	"	3 0	3 6	4 3
36 inches	,	.	.	"	3 6	4 0	4 9
38 inches	,	.	.	"	4 0	4 6	5 0
3 feet 6 inches	,	.	.	"	4 6	5 0	6 0
3 feet 9 inches	,	.	.	"	5 6	6 0	7 6
4 feet 6 inches	,	.	.	"	7 0	8 0	8 6
5 feet 2 inches	,	.	.	"	8 6	10 0	10 6
6 feet 2 inches	,	.	.	"	10 0	12 0	12 6
7 feet 2 inches	,	.	.	"	14 0	—	16 6

Stout Canvas of 10 feet width } prepared to order of any length.  
 Stout Ticken of 18 feet width }

## ARTISTS' PREPARED CANVAS.

IN ROLLS OF PORTRAIT SIZES.				CANVAS	ROMAN.	TICKEN.
				s. d.	s. d.	s. d.
Head size, 24 inches by 20	.	.	each	1 9	2 3	2 6
Three quarter, 30 inches by 25	.	,	"	2 6	3 3	3 9
Kitcat, 36 inches by 28	.	.	"	3 6	4 6	5 0
Small half-length, 3 feet 8 inches } by 2 feet 10 inches	.	.	"	4 9	5 6	6 6
Half-length, 4 feet 2 inches by } 3 feet 4 inches	.	.	"	6 6	7 6	9 0
Bishop's half-length, 4 feet 8 } inches by 3 feet 8 inches	.	.	"	10 0	10 6	12 0
Small whole length, 7 feet 4 } inches by 4 feet 4 inches	.	.	"	18 6	21 0	24 0
Whole length, 7 feet 10 inches } by 4 feet 10 inches	.	.	"	24 0	27 0	30 0
Bishop's whole length, 8 feet } 10 inches by 5 feet 10 inches	.	.	"	31 6	34 0	38 0
Historical size, 14 feet by 10 } feet, stout	.	.	"	105 0	—	—
HATCHMENT CLOTHS, 3 feet 9 inches by 3 feet 9 inches				each	7s. 6d.	
Ditto		4 feet 6 inches by 4 feet 6 inches		,	10s. 6d.	

## PREPARED CANVASES ON WEDGED FRAMES.



WINSOR &amp; NEWTON

## Portrait Sizes.

Inches.						Each. s. d.	Inches.						Each. s. d.
8	×	6	.	.	.	0 9	3 ft. 8	×	2 ft. 10	Small			
10	"	8	.	.	.	1 0	half-length	.	.	.	9	6	
12	"	10	.	.	.	1 3	4 ft. 2	×	3 ft. 4	Half-length	13	6	
14	"	12	.	.	.	1 6	4 ft. 8	×	3 ft. 8	Bishop's			
18	"	14	.	.	.	2 0	half-length	.	.	.	17	0	
20	"	16	.	.	.	2 3	7 ft. 4	×	4 ft. 4	Small			
21	"	17	.	.	.	2 6	whole length	.	.	.	36	0	
24	"	20, Head Size	:	3	0	7 ft. 10	×	4 ft. 10	Whole				
30	"	25, Three quarter size	:	4	6	length	.	.	.	.	42	0	
36	"	28, Kitcat	:	6	0	8 ft. 10	×	5 ft. 10	Bishop's whole length	.	56	0	

Wedges Frames with *hinges*, 12*s.* extra.

## Landscape Sizes.

Inches.			Each. s. d.	Inches.			Each. s. d.	Inches.			Each. s. d.	
9	×	6	0 10	15	×	11	1 8	22	×	16	2	6
10	"	7	0 '11	16	"	12	1 10	24	"	18	3	0
12	"	8	1 0	17	"	13	2 0	27	"	20	3	8
12	"	9	1 2	18	"	12	2 0	30	"	20	4	2
13	"	9	1 4	19	"	13	2 2	36	"	24	5	0
14	"	10	1 6	21	"	14	2 4					

Frames covered with Ticken or Roman Cloth at proportionate Prices.

## PREPARED MILLBOARDS AND PANELS.



WINSOR &amp; NEWTON

Inches	Prepared Millboards. Each.		Prepared Panels. Each.		Inches.	Prepared Millboards. Each.		Prepared Panels. Each.	
	s.	d.	s.	d.		s.	d.	s.	d.
6 " 5 .	0	6	—	—	16 " 12 .	2	0	5	0
7 " 5 .	0	7	—	—	17 " 12 .	2	2	5	3
8 " 6 .	0	8	1	3	17 " 13 .	2	4	5	6
9 " 6 .	0	8	1	6	17 " 14 .	2	6	6	0
9 " 7 .	0	9	1	6	18 " 12 .	2	4	5	6
9 " 8 .	0	9	—	—	18 " 13 .	2	6	6	0
10 " 7 .	0	9	1	9	18 " 14 .	2	8	6	6
10 " 8 .	0	10	2	0	19 " 12 .	2	8	—	—
11 " 8 .	0	10	2	3	19 " 13 .	2	8	6	6
11 " 9 .	1	0	2	6	19 " 14 .	2	10	7	0
12 " 8 .	1	1	2	9	20 " 14 .	3	0	7	6
12 " 9 .	1	1	3	0	20 " 16 .	3	3	9	0
12 " 10 .	1	2	3	3	21 " 15 .	3	6	—	—
13 " 8 .	1	2	3	0	21 " 17 .	3	10	10	6
13 " 9 .	1	2	3	3	22 " 15 .	3	8	—	—
13 " 10 .	1	2	3	6	22 " 16 .	3	10	10	6
13 " 11 .	1	3	3	9	22 " 18 .	4	6	12	0
14 " 9 .	1	3	3	6	23 " 16 .	4	3	11	6
14 " 10 .	1	4	3	9	24 " 18 .	5	0	13	0
14 " 12 .	1	6	4	6	24 " 20 .	6	0	14	0
15 " 11 .	1	8	4	6	30 " 20 .	—	—	21	0
15 " 12 .	1	10	4	9	30 " 25 .	9	0	26	0
16 " 11 .	1	10	4	9	36 " 28 .	—	—	36	0


## ACADEMY BOARDS.

	Inches.		ORDINARY THICKNESS.	STOUT.
Academy Boards . . .	24 $\frac{1}{2}$ x 18 $\frac{1}{2}$ . . .	each	1 0	1 3
Half-size ditto . . .	18 $\frac{1}{2}$ , 12 $\frac{1}{4}$ . . . ,		0 6	0 8

## PREPARED PAPER.

	Inches.		ORDINARY THICKNESS.	EXTRA THICK.
Prepared Oil Sketching Paper	30 x 21	per sheet	0 9	1 3
Prepared Grecian Paper	30 , 21	,"	1 9	—

## TABLETS FOR SKETCHING IN OIL.



These Tablets are made on the principle of the Solid Blocks, and composed of Prepared Oil Sketching Paper. They have protective frames (as illustrated) which fit over the Tablets and protect the wet sketches.

	Inches.	ORDINARY THICK PAPER.		EXTRA THICK PAPER.	
		Tablets only.	Half Bound and with protective frames.	Tablets only.	Half Bound and with protective Frames.
16mo. Imperial	7 x 5 each	2 6	5 0	3 6	6 0
8vo. ,"	10 , 7 ,"	4 6	7 6	6 0	10 0
6mo. ,"	14 , 6 $\frac{3}{4}$ ,"	6 0	10 6	9 0	12 0
4to. ,"	14 , 10 ,"	8 0	14 0	12 0	18 0
3mo. ,"	18 , 10 ,"	—	—	18 0	24 0
Half ,"	20 , 14 ,"	—	—	24 0	36 0

## VARNISHES, OILS, &amp;c.



"GLASS ROUND."

	Glass Rounds. each. s. d.	$\frac{1}{4}$ Pints in Stone Bottles. each. s. d.	$\frac{1}{2}$ Pints in Stone Bottles. each. s. d.	Pints in Stone Bottles. each. s. d.
Picture Mastic Varnish, for varnishing . . .	2 0	4 0	7 0	14 0
Mastic Varnish, (double strength) for Megilp, &c.	2 6	5 0	9 0	18 0
Picture Copal Varnish .	1 0	2 0	3 0	6 0
Oil Copal Varnish . .	1 0	2 0	3 0	6 0
White Spirit Varnish .	1 0	2 0	3 0	6 0
Brown ditto . .	1 0	2 0	3 0	6 0
Crystal Varnish . .	0 9	1 6	2 6	5 0
Japan Gold Size. .	0 8	1 3	2 0	4 0
Nut Oil . . .	0 6	1 0	1 8	3 6
Poppy Oil . . .	0 6	1 0	1 8	3 6
Pale Drying Oil . .	0 6	0 9	1 3	2 6
Strong Drying Oil . .	0 6	0 9	1 3	2 6
Purified Linseed Oil . .	0 6	0 9	1 3	2 6
Spirits of Turpentine . .	0 6	0 9	1 3	2 6


---

WINSOR & NEWTON'S  
RED SABLE BRUSHES IN TIN  
FOR  
OIL PAINTING.

POLISHED CEDAR HANDLES.



FLAT RED SABLES IN TIN. (*Sizes of the Brushes.*)

ROUND RED SABLES IN TIN. (*Sizes of the Brushes.*)


## FLAT OR ROUND.

Nos. 0 and 1 . . . each	s. d.	No. 6 . . . . each	s. d.
“ 2 . . . . . “	0 8	“ 7 . . . . . “	2 0
“ 3 . . . . . “	0 10	“ 8 . . . . . “	2 6
“ 4 . . . . . “	1 0	“ 9 . . . . . “	3 0
“ 5 . . . . . “	1 2		

---

### FINE SABLE "BRIGHT'S" BRUSHES IN TIN.

FOR FIRM SQUARE TOUCHING, AND GENERAL LANDSCAPE WORK.




SABLE "BRIGHT'S" BRUSHES IN TIN. (Sizes of Nos. 3 and 6.)

Sizes (in point of width) and Prices, same as those of ordinary Flat Red Sables in Tin. (See page 72.)

---

### FINE SABLE "RIGGER" BRUSHES IN TIN.

FOR DELICATE WORK, FINE LINE DRAWING, &c.




SABLE "RIGGER" BRUSHES IN TIN. (Sizes of Nos. 0, 2, and 4.)

Nos. 000 to 6. Prices same as those of ordinary Round Red Sables in Tin. (See page 72.)

---

### FINE SABLE "FAN" BRUSHES IN TIN.

FOR LIGHT GLAZING, SOFTENING, SCUMBLING,  
HAIR, FOLIAGE, &c.



SABLE "FAN" BRUSH IN TIN. (Size of No. 6.)

					s.	d.
Nos. 1, 2, and 3	.	.	.	each	1	6
„ 4, 5, and 6	.	.	.	„	2	0

---

**WINSOR & NEWTON'S**  
**EXTRA FINE**  
**HOG HAIR BRUSHES IN TIN.**

WHITE POLISHED HANDLES.

~~~~~  
*(See illustrations on pages 75 and 76.)*  
~~~~~

Made of the finest and softest Lyons Hog Hair, feather-edged, and graduated so as to blend and keep well together in working. These Brushes may be said to range between Sable Hair Brushes and the ordinary Hog Hair Brushes, combining somewhat of the softness of the former with the firmness of the latter.

~~~~~  
**FLAT OR ROUND.**

|                       |                  |                   |
|-----------------------|------------------|-------------------|
| Nos. 1 to 6 . . . . . | each             | s. d.             |
| No. 7 . each 1 0      | No. 9 . each 1 4 | No. 11 . each 1 8 |
| „ 8 . „ 1 2           | „ 10 . „ 1 6     | „ 12 . „ 2 0      |

**WINSOR & NEWTON'S**  
**FINE**  
**HOG HAIR BRUSHES IN TIN.**


RED POLISHED HANDLES.

~~~~~  
*(Same sizes as the Extra Fine Hoghair Brushes illustrated on pages 75 and 76.)*  
~~~~~

**FLAT OR ROUND.**

|                       |                    |                   |
|-----------------------|--------------------|-------------------|
| Nos. 1 to 6 . . . . . | each               | s. d.             |
| No. 7 . each 0 6      | No. 11 . each 0 10 | No. 15 . each 2 0 |
| „ 8 . „ 0 7           | „ 12 . „ 1 0       | „ 16 . „ 2 3      |
| „ 9 . „ 0 8           | „ 13 . „ 1 6       | „ 17 . „ 2 6      |
| „ 10 . „ 0 9          | „ 14 . „ 1 9       | „ 18 . „ 2 9      |

WINSOR & NEWTON'S  
**EXTRA FINE**  
FLAT HOG HAIR BRUSHES IN TIN.  
WHITE POLISHED HANDLES.



EXTRA FINE FLAT HOG HAIR BRUSHES IN TIN. (Sizes of Nos. 1 to 9.)


*For Prices see page 74.*

WINSOR & NEWTON'S

EXTRA FINE

ROUND HOG HAIR BRUSHES IN TIN.

WHITE POLISHED HANDLES.



EXTRA FINE ROUND HOG HAIR BRUSHES IN TIN. (Sizes of Nos. 1 to 9.)

*For Prices see page 74.*

WINSOR & NEWTON'S  
**SPECIAL**  
**EXTRA FINE HOG HAIR BRUSHES.**

*(As illustrated on opposite page.)*

These Brushes are made at the suggestion, and after the patterns, of some of the most Eminent Artists of the day. The hair of which they are composed is specially prepared, so as to insure the Brushes keeping their peculiar shapes when in use.


- D. Short wedge shape, coming to a fine edge.
- E. In three parts, to prevent colour accumulating and clogging the bottom of the brush.
- F. Double pointed, and affording a peculiar touch when pressed laterally on the canvas.
- G. Carefully made to resemble a worn brush, but not cut nor trimmed, and having therefore a soft flag.
- H. Of long feathery edge, and affording sweeping touches.
- I. Very long, and of perfectly straight hair—having a good spring and enabling square touches to be placed with accuracy.
- L. The edges of the ferrule and of the brush being of a parallel slant cause great freedom and evenness in working, when the brush is required to be held at an angle.
- M. Having a hollow which when full of colour acts as a feeder, and enables the brush to be used for some time without being stopped for fresh supply of colour.
- N. Very long in the hair, for points or dots, rough lines, and light dragging.
- P. Short stumpy brush, useful for rubbing, &c.

Any of the above shapes (and in various sizes) . . . each 0 8

WINSOR & NEWTON'S

**SPECIAL** EXTRA FINE HOG HAIR BRUSHES.

---




SPECIAL EXTRA FINE HOG HAIR BRUSHES.

---

**HOG HAIR "BRIGHT'S" BRUSHES IN TIN.**

Short and full of hair; for Landscape, &amp;c.




HOG HAIR "BRIGHT'S" BRUSHES IN TIN. (Sizes of Nos. 5 and 6.)

Sizes (in point of width) and Prices, same as those of the Fine Flat Hog Hair Brushes. (See page 74.)

**HOG HAIR "LANDSEER'S" BRUSHES IN TIN.**

HOG HAIR "LANDSEER'S" BRUSHES IN TIN. (Sizes of Nos. 2 and 4.)

Sizes (in point of width) and Prices, same as those of the Fine Flat Hog Hair Brushes. (See page 74.)


**EXTRA FINE****HOG HAIR "FAN" BRUSHES IN TIN.**For light touching, slight dragging, scumbling;  
also for hair, foliage, herbage, &c.

HOG HAIR "FAN" BRUSH IN TIN. (Size of No. 5.)

| Nos. 1, 2 and 3 | . | . | . | . | each | s. 0 | d. 9 |
|-----------------|---|---|---|---|------|------|------|
| „ 4, 5 and 6    | : | : | : | : | „    | 1    | 0    |

## FLAT HOG HAIR VARNISH BRUSHES IN TIN.


POLISHED CEDAR HANDLES.

FLAT HOG HAIR VARNISH BRUSH. (*Size of the 1 inch Brush*).

|                        |   | s. | d. |                        |   | s. | d. |
|------------------------|---|----|----|------------------------|---|----|----|
| 1 inch wide . . . each | 1 | 6  |    | 3 inch wide . . . each | 3 | 6  |    |
| 1½ " . . . " "         | 2 | 0  |    | 3½ " . . . " "         | 4 | 0  |    |
| 2 " . . . " "          | 2 | 6  |    | 4 " . . . " "          | 5 | 0  |    |
| 2½ " . . . " "         | 3 | 0  |    |                        |   |    |    |

## FINE ROUND BADGER HAIR SOFTENERS.

POLISHED CEDAR HANDLES.


ROUND BADGER HAIR SOFTENER. (*Size of No. 6*).

| No. 1 . . . . each | s. | d. | No. 7 . . . . each | s. | d. |
|--------------------|----|----|--------------------|----|----|
| " 2 . . . . " "    | 1  | 0  | " 8 . . . . " "    | 4  | 0  |
| " 3 . . . . " "    | 1  | 6  | " 9 . . . . " "    | 5  | 0  |
| " 4 . . . . " "    | 2  | 0  | " 10 . . . . " "   | 6  | 0  |
| " 5 . . . . " "    | 2  | 6  | " 11 . . . . " "   | 7  | 0  |
| " 6 . . . . " "    | 3  | 0  | " 12 . . . . " "   | 8  | 0  |

---

WINSOR & NEWTON'S  
STUDIO BRUSH CLEANSER.


For thoroughly washing and cleaning Oil Colour Brushes; and suspending them while drying, so as to preserve their form and protect their points, (as illustrated below.)



Studio Brush Cleanser, with Steel Clips, Washer and Cleaner, &c., complete.

Price £1 11s. 6d. (Without Brushes.)

## OIL AND WATER COLOUR DIPPERS.



| No. | 1.  | Tin Dippers                               | . . . . . | each | Plain. | Japanned |
|-----|-----|-------------------------------------------|-----------|------|--------|----------|
|     |     |                                           |           |      | s. d.  | s. d.    |
| "   | 2.  | Double Tin Dippers                        | . . . . . | ,"   | 0 6    | 1 0      |
| "   | 3.  | Conical Tin Dippers                       | . . . . . | ,"   | 0 3    | 0 6      |
| "   | 4.  | Double Conical Dippers                    | . . . . . | ,"   | 0 6    | 1 0      |
| "   | 5.  | Water Colour Dippers with necks for corks | . . . . . | ,"   | —      | 0 9      |
| "   | 6.  | Double ditto                              | . . . . . | ,"   | —      | 1 6      |
| "   | 7.  | Capped Tin Dippers                        | . . . . . | ,"   | 0 9    | —        |
| "   | 8.  | Double ditto                              | . . . . . | ,"   | 1 6    | —        |
| "   | 9.  | Capped Conical Tin Dippers                | . . . . . | ,"   | 0 9    | —        |
| "   | 10. | Double ditto                              | . . . . . | ,"   | 1 6    | —        |
| "   | 11. | Improved Dippers with moveable rims       | . . . . . | ,"   | 0 6    | 1 0      |
| "   | 12. | Double ditto                              | . . . . . | ,"   | 1 0    | 2 0      |

## TIN WARE SUNDRIES.

|                                                          |           |      |       |
|----------------------------------------------------------|-----------|------|-------|
| Japanned flat Oil Bottles with screw tops                | . . . . . | each | s. d. |
| Brush Washers                                            | . . . . . | ,"   | 1 6   |
| Japanned ditto                                           | . . . . . | ,"   | 2 0   |
| Improved Brush Cleaners                                  | . . . . . | ,"   | 2 6   |
| Japanned ditto                                           | . . . . . | ,"   | 3 0   |
| Smutch Pans, 14 inches long                              | . . . . . | ,"   | 3 0   |
| Improved Smutch and Rag Pans, 14 inches long             | . . . . . | ,"   | 4 0   |
| Japanned folding Palettes for 12 and 15 Moist Tube Boxes | . . . . . | ,"   | 5 0   |
| Ditto ditto for 20 ditto                                 | . . . . . | ,"   | 6 0   |
| Ditto ditto for 24 and 30 ditto                          | . . . . . | ,"   | 7 0   |
| Japanned Clips for fixing folding wooden Palettes        | . . . . . | ,"   | 0 2   |

## STEEL PALETTE KNIVES.

540  
542541  
543

548



554

STEEL PALETTE KNIVES.

## LENGTH OF BLADE.


|                           | No. | 3 ins.<br>Each.<br>s. d. | 3 1/2 ins.<br>Each.<br>s. d. | 4 ins.<br>Each.<br>s. d. | 4 1/2 ins.<br>Each.<br>s. d. | 5 ins.<br>Each.<br>s. d. |
|---------------------------|-----|--------------------------|------------------------------|--------------------------|------------------------------|--------------------------|
| Cocoa handle . . .        | 540 |                          |                              |                          |                              |                          |
| Ditto, balanced . . .     | 541 | 1 0                      | 1 0                          | 1 3                      | 1 3                          | 1 6                      |
| Ebony handle . . .        | 542 |                          |                              |                          |                              |                          |
| Ditto, balanced . . .     | 543 | 2 6                      | 2 6                          | 3 0                      | 3 0                          | 3 6                      |
| Ivory handle, balanced    | 548 |                          |                              |                          |                              |                          |
| Cocoa handle Trowel . . . | 554 | 2 6                      | 2 6                          | 2 6                      | 2 6                          | 2 6                      |

|                                                                                                 |      |       |
|-------------------------------------------------------------------------------------------------|------|-------|
| Extra large Trowel Palette Knives, for laying or flattening on colour, 6 inches by 1 inch blade | each | s. d. |
| Ditto 8 inches by 1 1/4 inch blade                                                              | .,   | 5 0   |

## LENGTH OF BLADE.

|                                    | 4 ins.<br>s. d. | 6 ins.<br>s. d. |
|------------------------------------|-----------------|-----------------|
| Cocoa Handle GILDER'S KNIVES . . . | each            | 1 3 1 6         |

## SCRAPERS AND ERASERS.



SCRAPERS AND ERASERS.

|                                                           |    | Each. |
|-----------------------------------------------------------|----|-------|
|                                                           | s. | d.    |
| No. 1.—Plain Steel Scrapers . . . . .                     | 0  | 6     |
| No. 2.—Steel Oil Colour Scrapers, ebony handles . . . . . | 2  | 6     |
| No. 3.—Illuminating Erasers, cocoa handles . . . . .      | 1  | 0     |
| No. 4.—Ebony handle Erasers . . . . .                     | 1  | 6     |
| No. 7.—Fine Erasers, ivory handles . . . . .              | 2  | 0     |

## POCKET KNIVES.

|                                                                                                                              |   | s. | d. |
|------------------------------------------------------------------------------------------------------------------------------|---|----|----|
| No. 1.—Superior Pencil Knife . . . . .                                                                                       | 1 | 0  |    |
| No. 2.—Erasing Knife, with large erasing blade and cutting ditto; ebony handle. . . . .                                      | 3 | 0  |    |
| No. 3.—Artist's Knife, with erasing blade, cutting ditto, file and palette knife, ivory handle. . . . .                      | 6 | 6  |    |
| No. 4.—Artist's Knife complete, with erasing blade, cutting ditto, file, palette knife, and corkscrew, ivory handle. . . . . | 8 | 6  |    |

# EASELS.

## WINSOR & NEWTON'S IMPROVED STUDIO EASEL.

*(See Illustration on opposite page.)*

Winsor & Newton's IMPROVED STUDIO EASEL will carry canvasses of any size from 6 inches to 9 feet in height; and, by a simple alteration of the slide movement, it may be adapted to the requirements of canvasses of still larger dimensions. Its projecting arrangement is simple and effective; and it has a powerful screw winding-up movement, that can be managed with the utmost facility. This screw is made of iron by an experienced engineer, and it will raise with ease a much greater weight than that represented by the largest canvas.


Among the many purchasers of Winsor and Newton's IMPROVED STUDIO EASEL may be mentioned the names of the following Artists and Amateurs of eminence, viz.:—

|                       |                         |                       |
|-----------------------|-------------------------|-----------------------|
| Amiconi, B., Esq.     | Faed, T., R.A.          | Roberts, D., R.A.     |
| Ans dell, R., R.A.    | Fildes, S. L., Esq.     | Rossetti, D. G., Esq. |
| Bradford, W., Esq.    | Girardot, E. G., Esq.   | Sant, J., R.A.        |
| Brett, J., Esq.       | Graves, H., the Hon.    | Selous, H. C., Esq.   |
| Buckner, R., Esq.     | Haden, F. Seymour, Esq. | Swinton, J. R., Esq.  |
| Burton, W. S., Esq.   | Hunt, W. Holman, Esq.   | Tadema, L. Alma, Esq. |
| Calderon, P. H., R.A. | Knight, J. P., R.A.     | Tayler, F., Esq.      |
| Chester, G., Esq.     | Leech, J., Esq.         | Thomas, W. Cave, Esq. |
| Cole, Vicat, A.R.A.   | Legros, A., Esq.        | Walton, Elijah, Esq.  |
| Collinson, R., Esq.   | Leighton, F., R.A.      | Walton, J. W., Esq.   |
| Corbould, E., Esq.    | Linnell, W., Esq.       | Warren, Edmund, Esq.  |
| Davis, H. W. B., Esq. | Naish, J. G., Esq.      | Watson, J. D., Esq.   |
| Desanges, L. W., Esq. | Napier, J., Esq.        | Watts, G. F., R.A.    |
| Dowling, R., Esq.     | Philip, J., R.A.        | Whistler, J., Esq.    |
| Edwards, Edwin, Esq.  | Pinwell, G., Esq.       | Wilson, Herbert, Esq. |
| Elmore, A., R.A.      | Poole, P. F., R.A.      |                       |

|                                    |                       |  |  |  |  | £  | s. | d. |
|------------------------------------|-----------------------|--|--|--|--|----|----|----|
| Small Studio Easel in Stained Deal | 5 feet high . . . . . |  |  |  |  | 10 | 10 | 0  |
| Middle ditto ditto                 | 6 , , , ,             |  |  |  |  | 11 | 11 | 0  |
| Large ditto ditto                  | 7 , , , ,             |  |  |  |  | 12 | 12 | 0  |
| Small Studio Easel in Polished Oak | 5 , , , ,             |  |  |  |  | 14 | 14 | 0  |
| Middle ditto ditto                 | 6 , , , ,             |  |  |  |  | 16 | 16 | 0  |
| Large ditto ditto                  | 7 , , , ,             |  |  |  |  | 18 | 18 | 0  |

---

WINSOR & NEWTON'S  
IMPROVED STUDIO EASEL.




IMPROVED STUDIO EASEL.


EASELS *continued.*

## ILLUSTRATIONS.

CORBOULD EASEL.



MAHOGANY CORBOULD EASEL  
WITH DESK COMPLETE.  
No. 1.



MAHOGANY CORBOULD EASEL  
WITHOUT DESK.  
No. 2.


CORBOULD EASEL WITH DESK.

(For Prices see page 89.)


ACADEMY EASEL.  
BEST RACK EASEL.  
ORDINARY RACK EASEL.

AND LOCAL ARTISTS' COLOURMEN, &c.


88



MAHOGANY RACK ACADEMY  
EASEL.  
No. 3.



MAHOGANY RACK EASEL  
WITH BRUSH BOX.  
No. 4.



MAHOGANY RACK EASEL  
WITH TRAY.  
No. 5

(For Prices see page 89.)

EASELS *continued.*

(See Illustrations on pages 87 and 88.)

## RACK EASELS.

(6 ft. high.)

|                                                      | £ | s. | d. |
|------------------------------------------------------|---|----|----|
| Mahogany Corbould Easel with desk complete (No. 1) . | 3 | 15 | 0  |
| Ditto without desk, (No. 2) . . . .                  | 2 | 18 | 0  |
| Mahogany Rack Academy Easel (No. 3) . . . .          | 2 | 12 | 6  |
| Mahogany Rack Easel with brush box (No. 4) . . . .   | 2 | 2  | 0  |
| Mahogany Rack Easel with tray (No. 5) . . . .        | 1 | 11 | 6  |
| (4 ft. high.)                                        |   |    |    |
| Dwarf Polished Walnut Wood Rack Easel . . . .        | 3 | 8  | 0  |
| Ditto Oak ditto . . . .                              | 2 | 18 | 0  |
| Ditto Mahogany ditto . . . .                         | 2 | 5  | 0  |
| Dwarf Plain Mahogany ditto . . . .                   | 1 | 18 | 0  |
| Ditto Deal ditto . . . .                             | 1 | 5  | 0  |

## ORDINARY EASELS.

(6 ft. high.)

|                                             | £ | s. | d. |
|---------------------------------------------|---|----|----|
| Mahogany Folding Portable Easel . . . .     | 1 | 5  | 0  |
| Deal ditto ditto . . . .                    | 0 | 15 | 0  |
| Mahogany Framed (or Standing) Easel . . . . | 0 | 18 | 0  |
| Deal ditto ditto . . . .                    | 0 | 12 | 0  |
| Mahogany Closing Easel . . . .              | 0 | 14 | 0  |
| Deal ditto . . . .                          | 0 | 7  | 6  |

## TABLE EASELS.

|                             | Deal<br>with pegs.<br>s.<br>d. | Mahogany<br>with pegs.<br>s.<br>d. | Mahogany<br>with rack.<br>s.<br>d. |
|-----------------------------|--------------------------------|------------------------------------|------------------------------------|
| 18 inches high . . . . each | 5 6                            | 8 0                                | 10 6                               |
| 21 , , . . . . , ,          | 6 6                            | 9 0                                | 11 6                               |
| 24 , , . . . . , ,          | 7 6                            | 10. 0                              | 12 6                               |

WINSOR & NEWTON'S  
SKETCHING EASEL.




SKETCHING EASEL.

This Sketching Easel possesses those qualities most required by the Sketcher and Tourist. It is of the simplest construction, very portable, and of extreme lightness, its weight, in Deal, being  $1\frac{3}{4}$  lbs. The adaptation of a joint of novel construction, allows the legs to be placed in any position most suited to the Sketcher.

(4 ft. 4 ins. high.)


|                       |                  | s. | d. |
|-----------------------|------------------|----|----|
| The Easel in Deal     | .. . . . . . . . | 5  | 6  |
| Ditto Polished        | .. . . . . . . . | 7  | 6  |
| The Easel in Mahogany | .. . . . . . . . | 12 | 0  |
| Ditto Polished        | .. . . . . . . . | 14 | 0  |

## SKETCHING STOOLS AND SEATS.



WINSOR &amp; NEWTON

POCKET SKETCHING STOOL.





WINSOR &amp; NEWTON

SQUARE TOP SKETCHING SEAT

|                                                          |   | £ | s. | d. |
|----------------------------------------------------------|---|---|----|----|
| Common Octagon Pocket Sketching Stools, loose seats each |   | 0 | 3  | 0  |
| Pocket Sketching Stools, loose seats . . . . .           | " | 0 | 5  | 0  |
| Ditto              fixed seats . . . . .                 | " | 0 | 6  | 6  |
| Ditto              ditto extra . . . . .                 | " | 0 | 9  | 0  |
| Common Square Top Sketching Seats . . . . .              | " | 0 | 3  | 6  |
| Square Top Sketching Seats, small . . . . .              | " | 0 | 5  | 0  |
| Ditto              middle . . . . .                      | " | 0 | 6  | 0  |
| Ditto              large . . . . .                       | " | 0 | 7  | 6  |
| Walking Stick Sketching Stools. . . . .                  | " | 0 | 7  | 0  |
| Ditto              screw top . . . . .                   | " | 0 | 10 | 6  |

The Easel open for use



WINSOR &amp; NEWTON

GENTLEMEN'S SKETCHING SEAT AND EASEL COMBINED.

|                                                          |  | £ | s. | d. |
|----------------------------------------------------------|--|---|----|----|
| Gentlemen's Sketching Seat and Easel combined . . . . .  |  | 0 | 18 | 0  |
| Ditto              ditto              improved . . . . . |  | 1 | 11 | 6  |
| Ladies'              ditto              ditto . . . . .  |  | 1 | 15 | 0  |

WINSOR & NEWTON'S  
IMPROVED SKETCHING TENT.




IMPROVED SKETCHING TENT.

Simple, light, strong, portable and compact,—Price £2 2s.

IMPROVED SKETCHING UMBRELLAS.

| IMPROVED STOUT SKETCHING UMBRELLA, White or Grey,                                                                                                  |   |    |   |  |  | L | s. | d. |
|----------------------------------------------------------------------------------------------------------------------------------------------------|---|----|---|--|--|---|----|----|
| with wind valve at top; 4 feet 6 inches diameter when open, cane ribs, solid brass spike, brass ring and cap; brass screw, &c., complete . . . . . | 1 | 11 | 6 |  |  |   |    |    |
| Ditto            ditto            with Fly Joint . . . . .                                                                                         | 1 | 15 | 0 |  |  |   |    |    |

**FRAMED DRAWING BOARD.**

Front View.

Back View.



**THE WATER COLOUR PAINTER'S DRAWING BOARD.**

WINSOR &amp; NEWTON

Front View.



Back View.

**MAHOGANY SKETCHING BOARD.****J. D. HARDING'S LESSON DESK.**

## DRAWING BOARDS.

|                              | 10 $\frac{1}{2}$ in. by 8 each | Clamped |       | Panelled |       | Framed   |          | Framed |    |
|------------------------------|--------------------------------|---------|-------|----------|-------|----------|----------|--------|----|
|                              |                                | Deal.   | Deal. | Deal.    | Deal. | Mahogany | Mahogany |        |    |
| s.                           | d.                             | s.      | d.    | s.       | d.    | s.       | d.       | s.     | d. |
| 4to. Royal . . .             | 10 $\frac{1}{2}$ in. by 8 each | 1       | 0     | 1        | 6     | 3        | 0        | 4      | 0  |
| 4to. Imperial . . .          | 13 " 9 $\frac{1}{2}$ "         | 1       | 3     | 1        | 9     | 3        | 6        | 5      | 0  |
| 4to. Colombier . . .         | 15 " 11 "                      | 1       | 6     | 2        | 3     | 4        | 0        | 6      | 0  |
| $\frac{1}{2}$ Royal . . .    | 17 " 10 $\frac{1}{2}$ "        | 1       | 9     | 2        | 6     | 5        | 0        | 7      | 0  |
| Demy . . .                   | 18 " 13 $\frac{1}{2}$ "        | 2       | 0     | 3        | 0     | 5        | 6        | 8      | 0  |
| $\frac{1}{2}$ Imperial . . . | 19 " 13 $\frac{1}{2}$ "        | 2       | 3     | 3        | 3     | 6        | 0        | 8      | 6  |
| Medium . . .                 | 20 " 15 $\frac{1}{2}$ "        | 2       | 9     | 3        | 6     | 6        | 6        | 9      | 0  |
| Royal . . .                  | 22 " 17 "                      | 3       | 3     | 4        | 6     | 7        | 0        | 10     | 6  |
| Imperial . . .               | 28 " 19 "                      | 4       | 0     | 6        | 0     | 10       | 0        | 15     | 0  |
| Imperial full size . . .     | 30 " 21 "                      | 5       | 0     | 7        | 0     | —        | —        | —      | —  |

## THE PATENT

## WATER COLOUR PAINTER'S DRAWING BOARD.

By means of this Drawing Board, which is extremely light and simple in construction, a sheet of paper is easily and effectually stretched without any margin; pins or adhesive materials being dispensed with.

| Mahogany 4to. Imperial         | . | . | . | . | . | . | . | s. | d. |
|--------------------------------|---|---|---|---|---|---|---|----|----|
| " 3mo. Imperial                | : | : | : | : | : | : | : | 5  | 6  |
| " $\frac{1}{2}$ Imperial . . . | : | : | : | : | : | : | : | 7  | 6  |

## MAHOGANY SKETCHING BOARDS.

| Clamped, 4to. Imperial 15 inches by 11 inches . . . | . | Plain. |    | Polished. |    |
|-----------------------------------------------------|---|--------|----|-----------|----|
|                                                     |   | s.     | d. | s.        | d. |
| Ditto Half Imperial 22 " 15 "                       | . | 10     | 6  | 14        | 0  |
| Best Framed; brass bound, 4to Imperial . . .        | . | .      | .  | 7         | 6  |
| Ditto ditto Half Imperial . . .                     | . | .      | .  | 12        | 6  |

## J. D. HARDING'S LESSON DESK.

| Deal, Three Sizes . . . | . | . | . | each | . | s. | d. | s. | d. |   |
|-------------------------|---|---|---|------|---|----|----|----|----|---|
| Mahogany, ditto . . .   | : | : | : | ,    | 8 | 0  | 12 | 6  | 16 | 0 |

## J. D. HARDING'S DRAWING MODELS.

The Models, made of hard wood, complete in Box, together with explanatory Handbook by J. D. Harding.

Price £1 11s. 6d.

## T SQUARS.



WINSOR &amp; NEWTON

FIXED STOCK.



MOVING STOCK.



| 12 inches long | . | . | . | . | . | each |
|----------------|---|---|---|---|---|------|
| 15             | " | " | " | " | " | ,"   |
| 18             | " | " | " | " | " | ,"   |
| 21             | " | " | " | " | " | ,"   |
| 24             | " | " | " | " | " | ,"   |
| 30             | " | " | " | " | " | ,"   |
| 36             | " | " | " | " | " | ,"   |

| PEAR<br>TREE.   | MAHOGANY.        |
|-----------------|------------------|
| Fixed<br>Stock. | Moving<br>Stock. |
| s. d.           | s. d.            |
| 1 3             | 2 0              |
| 1 6             | 2 4              |
| 1 9             | 2 8              |
| 2 0             | 3 0              |
| 2 6             | 3 6              |
| 3 0             | 4 0              |
| 4 0             | 5 0              |

## PEAR TREE SET SQUARES.

From 3d. to 1s. 6d. each, according to size.

## PEAR TREE STRAIGHT EDGES.

From 3d. to 1s. each, according to length.

## PEAR TREE CURVES.

IN GREAT VARIETY.

|                                    |   |   |   |   |      |       |
|------------------------------------|---|---|---|---|------|-------|
| Pear Tree Curves, assorted shapes. | . | . | . | . | each | s. d. |
|------------------------------------|---|---|---|---|------|-------|

## BEST EBONY PARALLEL RULES.




LONDON MAKE, OF THOROUGHLY SEASONED WOOD.

|               |      |       |                |      |       |
|---------------|------|-------|----------------|------|-------|
| 6 inches long | each | s. d. | 15 inches long | each | s. d. |
| 12 ,,"        | ,"   | 3 6   | 24 ,,"         | ,"   | 10 0  |

## SCALES, &amp;c.

|                                                     |   |   |   |   |   |         |       |
|-----------------------------------------------------|---|---|---|---|---|---------|-------|
| 6 inch Boxwood Scales                               | . | . | . | . | . | each    | s. d. |
| 6 ,," ditto Protractors.                            | . | . | . | . | . | ,"      | 1 6   |
| Set of Best Boxwood Marquois Scales in box complete | . | . | . | . | . | per set | 10 6  |

## PALETTES FOR OIL PAINTING.



WINSOR & NEWTON

| OVAL OR OBLONG. | Spanish  | Satin | OVAL OR OBLONG. | Spanish | Satin    |
|-----------------|----------|-------|-----------------|---------|----------|
|                 | Mahogany | Wood. |                 | Each.   | Mahogany |
|                 | Each.    | s. d. |                 | Each.   | s. d.    |
| 8 inch . . .    | 1 6      | 2 6   | 14 inch . . .   | 3 0     | 5 0      |
| 9 , , . . .     | 1 9      | 2 9   | 15 , , . . .    | 3 6     | 6 0      |
| 10 , , . . .    | 2 0      | 3 0   | 16 , , . . .    | 4 0     | 7 0      |
| 11 , , . . .    | 2 3      | 3 6   | 17 , , . . .    | 5 0     | 8 0      |
| 12 , , . . .    | 2 6      | 4 0   | 18 , , . . .    | 6 0     | 9 0      |
| 13 , , . . .    | 2 9      | 4 6   | 12 , , Folding  | 3 6     | 5 0      |

## MAHL STICKS.

|                                          |      | s.  | d.  |
|------------------------------------------|------|-----|-----|
| Bamboo or Wooden Mahl Sticks . . . .     | each | 9d. | 1 0 |
| Jointed Wooden ditto double ferrules . . | ,"   | 2s. | 2 6 |
| Pocket Mahl Sticks, brass screw caps . . | each | 5   | 6   |

## GROUND GLASS SLABS AND MULLERS.

## Glass Slabs.

### Glass Mullers.

| Inches.    | Glass<br>Slabs<br>only. | Set in<br>Mahogany<br>Frames. | 1 inch diameter | each | s. | d.  |
|------------|-------------------------|-------------------------------|-----------------|------|----|-----|
| s. d.      | s. d.                   | s. d.                         | "               | "    | 0  | 6   |
| 6 x 6 each | 1 0                     | 3 0                           | 1½              | "    | .  | 9   |
| 8 " 8 "    | 2 0                     | 4 6                           | 2               | "    | .  | 1 0 |
| 10 " 10 "  | 4 0                     | 6 6                           | 2½              | "    | .  | 1 6 |
| 12 " 12 "  | 6 0                     | 8 6                           | 3               | "    | .  | 2 0 |

---

## PUBLICATIONS.

---

WINSOR & NEWTON'S  
**ONE SHILLING**  
HANDBOOKS ON THE FINE ARTS.  
WITH ILLUSTRATIONS, &c.

---

For List see outside Wrapper page.

---

WINSOR & NEWTON'S  
**2s. 6d. BOUND**  
HANDBOOKS ON THE FINE ARTS.  
WITH ILLUSTRATIONS, &c.

---

**Sketching from Nature.**—Comprising the Art of Sketching from Nature, and Hints for Sketching in Water Colours from Nature.

**Landscape Painting in Water Colours.**—Comprising the Art of Landscape Painting in Water Colours, and a System of Water Colour Painting.

**Marine Painting.**—Comprising the Art of Marine Painting in Water Colours, and the Art of Marine Painting in Oil Colours.

**Portrait Painting.**—Comprising the Art of Portrait Painting in Water Colours, and the Art of Portrait Painting in Oil Colours.

**Figure Drawing.**—Comprising the Art of Figure Drawing, and an Artistic Treatise on the Human Figure.

**Transparency Painting.**—Comprising Transparency Painting on Linen, and the Art of Transparent Painting on Glass.

**Artistic Anatomy of Animals.**—Comprising the Artistic Anatomy of Cattle and Sheep, and the Artistic Anatomy of the Horse.

**Illumination.**—Comprising Manual of Illumination and Companion.

**Perspective.**—Comprising the Elements of Perspective, and Drawing Models and their Uses.

---

## J. D. Harding's Works.

EDITED BY W. WALKER.

|                                                                                   | s. d. |
|-----------------------------------------------------------------------------------|-------|
| <b>Lessons on Art.</b> —Imperial 8vo.                                             |       |
| Bound in Cloth, or Six Parts complete . . . . .                                   | 15 0  |
| Each Part separately . . . . .                                                    | 2 6   |
| <b>Lessons on Trees.</b> —Imperial 4to.                                           |       |
| Bound in Cloth, or Six Parts complete . . . . .                                   | 15 0  |
| Each Part separately . . . . .                                                    | 2 6   |
| <b>Elementary Art.</b> —Imperial 4to.                                             |       |
| Bound in Cloth . . . . .                                                          | 25 0  |
| <b>Early Drawing Book.</b> —Imperial 8vo.                                         |       |
| Bound in Cloth . . . . .                                                          | 10 6  |
| Six Parts complete . . . . .                                                      | 9 0   |
| Each Part . . . . .                                                               | 1 6   |
| <hr/>                                                                             |       |
| <b>Pencil Sketches by J. D. Harding.</b>                                          |       |
| Nine Autotype fac-similes mounted and in Imperial<br>Portfolio complete . . . . . | 50 0  |
| <b>Lessons on Animals and Figures.</b>                                            |       |
| As applied to Landscapes. By W. Walker. Imperial 8vo.                             |       |
| Bound in Cloth . . . . .                                                          | 7 6   |
| <b>Field's Chromatography.</b> Demy 8vo.                                          |       |
| A Treatise on Colours. T. Salter's Edition.                                       |       |
| Bound in Cloth . . . . .                                                          | 21 0  |
| <b>Mural or Monumental Decoration.</b> By W. Cave Thomas.                         |       |
| Demy 8vo. Bound in Cloth . . . . .                                                | 16 0  |
| <b>Barnard's Trees.</b> Imperial Folio, 22 by 15.                                 |       |
| The Work, 30 Plates and letterpress complete . . . . .                            | 42 0  |
| Half Bound, handsomely, in one Vol. . . . .                                       | 52 6  |
| Separate Parts of 10 Plates and letterpress . . . . .                             | 14 0  |
| <b>The Art of Figure Drawing.</b> By T. H. Maguire.                               |       |
| Impl. 4to. Bound in Cloth, with 30 full plate illustrations                       | 42 0  |

## TURNER'S 'LIBER STUDIORUM.'

- I.—Mountain and Marine Subjects.
- II.—Architectural and Historical Subjects.
- III.—Pastoral and Elegant Pastoral Subjects.

Being the Complete Series of Autotype Prints of these well-known Studies, seventy-one in number, reproduced from an early Subscriber's Copy of the Work in the best condition. The Plates are printed in Sepia, as nearly as possible the colour of the original, and are guaranteed to be ABSOLUTELY PERMANENT. For the convenience of Purchasers the Series has been divided into Three Volumes, in the way in which the Artist himself classified them. They thus furnish excellent manuals for all Students of Art.

Handsomely bound in Cloth in Three Volumes, 4to. Imperial size.

|                                              |  | each | £ | s. | d. |
|----------------------------------------------|--|------|---|----|----|
| Single Volumes . . . . .                     |  |      | 2 | 2  | 0  |
| The Work complete in Three Volumes . . . . . |  |      | 5 | 5  | 0  |

## CLAUDE'S 'LIBER VERITATIS.'

A Selection of Seventy-two Autotype Prints of the choicest Examples of this valuable Work. Forming a Companion Series to Turner's 'Liber Studiorum.' Reproduced in Autotype from the Etchings by RICHARD EARLOM. For the convenience of Purchasers, the Series has been divided into three volumes containing :

- I.—Marine Subjects.
- II.—Landscapes.
- III.—Pastoral Subjects.

Handsomely bound in Cloth in Three Volumes, 4to. Imperial size.

|                                              |  | each | £ | s. | d. |
|----------------------------------------------|--|------|---|----|----|
| Single Volumes . . . . .                     |  |      | 2 | 2  | 0  |
| The Work complete in three Volumes . . . . . |  |      | 5 | 5  | 0  |

## SIR JOSHUA REYNOLDS.

A Selection from the Works of Sir Joshua Reynolds, from Proofs (by the most eminent Contemporary Engravers) in the British Museum. Mounted on Half Imperial tinted boards. This Section is invaluable to all who study Portraiture, and contains one hundred and fifty Autotype Prints in three volumes complete,

|                                            | £  | s. | d. |
|--------------------------------------------|----|----|----|
| Each Volume (Half Imperial size) . . . . . | 6  | 6  | 0  |
| 3 Volumes complete . . . . .               | 15 | 15 | 0  |

## AN ARCHITECT'S NOTE-BOOK IN SPAIN.

*Principally Illustrating the Domestic Architecture of that Country.*

BY M. DIGBY WYATT, M.A., F.S.A., &c., &c.

A Series of one hundred admirable Sketches, which that accomplished Architect, Sir Digby Wyatt, made in Spain, in 1869, from subjects as novel in character as they are important for the History of Architecture in that country. Each Sketch is accompanied by Critical Notices, in which Sir Digby explains the salient points of interest which he observed in the subjects selected for illustration.

|                                                                               | £ | s. | d. |
|-------------------------------------------------------------------------------|---|----|----|
| Post 4to., with 100 Autotype Reproductions of the Author's Sketches . . . . . | 2 | 12 | 6  |

## BRUSH-NOTES IN HOLLAND.

BY ROBERT TAYLOR PRITCHETT F.S.A.

A Series of Nineteen Sketches, One Volume, half imperial, handsomely bound, with Explanatory Text.

These Sketches are admirable examples of facile execution, and are most faithfully rendered in Autotype.

|                               | £ | s. | d. |
|-------------------------------|---|----|----|
| The Volume complete . . . . . | 5 | 5  | 0  |

## STUDIES

FROM

## THE GREAT MASTERS.

A very carefully selected Series of Autotype Prints, reproduced in fac-simile from Drawings in Chalks, Pencil, &c., by the Great Masters.

In Parts (4to. Impl.) each containing Six Studies, per Part 5s. 0d.  
The Work, bound complete (containing 48 plates) £1 5s.

---

**Parts 1, 2, 3. STUDIES OF HANDS.**

After Drawings by Andrea del Sarto, Bouchardon, Caracci, Coypel, Domenichino, Albert Dürer, Greuze, Holbein, Lesueur, Lebrun, Michael Angelo, Raffaelle, Rigaud, Rubens, Vandyck.

**Part 4. STUDIES OF FEET.**

After Drawings by Andrea del Sarto, Coypel, Lebrun, Mieris, Michael Angelo, Raffaelle.

**Part 5. STUDIES OF CHILDREN AND YOUTHS.**

After Drawings by Boucher, Carlo Dolci, Correggio, Dürer, Fra Bartolomeo, Raffaelle.

**Part 6. STUDIES OF HEADS AND CHILDREN.**

After Drawings by Andrea del Sarto, Bouchardon, Coypel, Zucchero.

**Part 7. STUDIES OF INFANTS AND YOUTHS.**


After Drawings by Boulogne, Carlo Dolci, Lebrun, Raffaelle.

**Part 8. STUDIES OF HEADS, CHILDREN, YOUTHS.**


After Drawings by Boucher, Bouchardon, Correggio, Caracci, Lebrun, Rubens.

---











# ONE SHILLING HAND-BOOKS ON ART

With Illustrations, &c.

---

HALF-HOUR LECTURES  
ON PAINTING AND DRAWING.

—o—

THE ART OF BOTANICAL DRAWING.

—o—

AN ARTISTIC TREATISE ON THE  
HUMAN FIGURE.

—o—

THE ART OF LANDSCAPE PAINTING IN  
OIL-COLOURS.

—o—

SYSTEM OF WATER-COLOUR PAINTING

—o—

A MANUAL OF ILLUMINATION.

—o—

A COMPANION TO MANUAL OF  
ILLUMINATION.

—o—

THE ART OF WOOD ENGRAVING

—o—

THE ARTISTIC ANATOMY OF THE  
HORSE.

—o—

THE ART OF MARINE PAINTING IN  
WATER-COLOURS.

—o—

THE ART OF LANDSCAPE PAINTING IN  
WATER-COLOURS.

—o—

THE ART OF PORTRAIT PAINTING IN  
WATER-COLOURS.

—o—

THE ARTISTIC ANATOMY OF THE  
HUMAN FIGURE.

—o—

TRANSPARENCY PAINTING ON LINEN.

—o—

THE ART OF TRANSPARENT PAINTING  
ON GLASS.

THE ART OF SKETCHING FROM  
NATURE.

—o—

THE ELEMENTS OF PERSPECTIVE.

—o—

THE ART OF FIGURE DRAWING.

—o—

THE ART OF MARINE PAINTING IN  
OIL-COLOURS.

—o—

THE ARTISTIC ANATOMY OF CATTLE  
AND SHEEP.

—o—

THE ART OF PORTRAIT PAINTING IN  
OIL-COLOURS.

—o—

DRAWING MODELS AND THEIR USES

—o—

HINTS FOR SKETCHING IN WATER  
COLOUR FROM NATURE.

—o—

THE ART OF FLOWER PAINTING

—o—

THE PRINCIPLES OF FORM IN  
ORNAMENTAL ART

—o—

THE ART OF MINIATURE PAINTING.

—o—

INSTRUCTIONS FOR CLEANING,  
REPAIRING, LINING, AND RESTORING  
OIL PAINTINGS.

—o—

THE ART OF MURAL DECORATION.

—o—

THE ART OF PAINTING AND DRAWING  
IN COLOURED CRAYONS.

—o—

THE PRINCIPLES OF COLOURING IN  
PAINTING

---

Winsor and Newton, 38, Rathbone Place, London.


SOLD BY ALL BOOKSELLERS AND ARTISTS' COLOURMEN.











SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00307179 2

npg ND1640.M69 1876

Hand-book for the preservation of pictur